


FIELD NOTES
OF THE
RHODODENDRONS
COLLECTED BY
ROCK
IN 1923/4.

MH
7333
R59
f1

Arnold Arboretum Library



THE GIFT OF

E. H. Wilson

Received Nov. 1924

NEW COURT,

ST SWITHIN'S LANE,


LONDON, E.C.4.

31st October, 1924.

Dear Mr. Wilson,


The Field Notes of the Rock
Rhododendrons from the United States
Department of Agriculture arrived safely
and I have had them printed. I am taking
~~the liberty of sending you a copy in case~~
it may be of interest to you.


Yours sincerely,

A handwritten signature in dark ink, appearing to read 'Lionel de Rothschild', with a horizontal line drawn underneath it.

(Lionel de Rothschild)

P.S. I am most grateful to you for your
assistance in getting these Notes.





#

FIELD NOTES

OF THE

RHODODENDRONS

COLLECTED BY

ROCK

IN 1923/4.

35681

Jan. 2, 1925

.

.

1. 1. 1. 1.

2. 1. 1. 1. 1. 1.

3. 1. 1. 1. 1. 1.

4. 1. 1. 1. 1. 1.

SPECIMENS OF RHODODENDRONS.

59,029. Rhod. Cephalanthum Franch.

“(No. 11,323. November, 1923).
A shrub 2 ft. high found among
rocks in the alpine regions of Yetche,
Mekong R. The leaves are small and
elliptical with brownish wool
beneath; the tubular flowers are
white.” Fl. No. 9,074.

59,030. Rhod. Sp.

“(No. 10,893. November, 1923).
A spreading shrub 3 ft. tall found
growing in masses in the moist open
places in fir forests on the Tibet
border, N.W. Yunnan, at 13,000 ft.
altitude. The elliptical oblong leaves
are covered with fawn-coloured to-
mentum beneath and the flowers are
a deep blackish carmine.”

59,031. Rhod. Sp.

“(No. 10,894. November, 1923).
A small shrub 2 to 3 ft. high found growing on moist alpine slopes on the Londjre Mountains in south-eastern Tibet, China. The elliptical leaves are fawn-coloured beneath and the large rich crimson flowers are on long pubescent pedicels.” Fl. No. 8,911.

59,032. Rhod. Sp.

“(No. 10,896. November, 1923).
A large shrub 7 to 8 ft. high found on the slopes of the Londjre Mountains, south-eastern Tibet. The leaves are large, oblong, glabrous and a yellowish brown. The deep rich pink flowers are in umbels.” Fl. No. 8,880. ✓

59,033. Rhod. Sp.

“(No. 10,897. November, 1923).
A small shrub from 2 to 3 ft. high found on the alpine meadows of the Londjre Mountains, south-eastern Tibet, at from 12,000 to 13,000 ft. altitude. The small elliptical leaves are white beneath and the flowers vary from rich crimson to carmine.”

59,034. Rhod. Sp.

“(No. 10,899. November, 1923).

A small shrub found growing on the alpine slopes of the Londjre Mountains, south-eastern Tibet. The elliptical leaves are grey beneath and the large purple flowers are yellowish at the base.” Fl. No. 10,306.

59,035. Rhod. Sp.

“(No. 10,900. November, 1923).

A small shrub 1 to 2 ft. high found growing on the alpine slopes of Londjre Mountains, south-eastern Tibet. The small elliptical leaves are brown beneath and the large pink flowers grow in racemes.” Fl. No. 10,281.

59,036. Rhod. Sp.

“(No. 10,901. November, 1923).

A small shrub 1 to 2 ft. high found on the alpine slopes of the Londjre Mountains, south-eastern Tibet. The small oblong leaves are brown beneath and the deep reddish black flowers have carmine calyxes.” Fl. No. 10,272.

59,037. Rhod. Sp.

"(No. 10,902. November, 1923).
A small shrub 2 to 3 ft. high found
on the alpine slopes of the Londjre
Mountains, south-eastern Tibet.
The elliptical leaves are greyish green
beneath and the flowers are a rich
yellow." Fl. No. 8,913.

59,038. Rhod. Sp.

"(No. 10,903. November, 1923).
A small shrub 2 to 3 ft. high found
growing on the alpine meadows of
the Londjre Mountains, south-eastern
Tibet. The small elliptical leaves
are white beneath and the large
flowers are yellowish-red." Fl. No.
10,265.

59,039. Rhod. Sp.

"(No. 10,904. November, 1923).
A small shrub 1 to 2 ft. high found
growing in masses on the alpine slopes
of the Londjre Mountains in south-
eastern Tibet and north-western
Yunnan. The small elliptical glaucous
leaves are grey beneath and the
deep crimson flowers are on short
hairy pedicels." Fl. No. 10,277.

59,040. Rhod. Sp.

“(No. 10,905. November, 1923).
A small shrub 2 to 3 ft. high found
growing in masses in moist places on
the Londjre Mountains at from
12,000 to 13,000 ft. altitude. The
small elliptical leaves are deep choco-
late colour beneath and the blackish
crimson flowers are on short pedicels.”
Fl. No. 8,912.✓

59,041. Rhod. Sp.

“(No. 10,906. November, 1923).
A small shrub 2 to 3 ft. high found
growing in masses in the Londjre
Mountains, south-eastern Tibet and
north-western Yunnan at 13,000 ft.
altitude. The elliptical leaves are
white-tomentose beneath and the
flowers are a rich yellow.” Fl. No.
8,914.

59,042. Rhod. Sp.

“(No. 10,907. November, 1923).
A low shrub from 1 to 2 ft. high
found growing in moist places on the
Londjre Mountains in south-eastern
Tibet and north-western Yunnan at
altitudes between 12,000 and 13,000
ft. The small leaves are glabrous and
the flowers are pink.” Fl. No. 10,285.✓

59,043. Rhod. Sp.

"(No. 10,908. November, 1923).

A tree 8 to 10 ft. high found growing in fir forests on the Londjre Mountains in south-eastern Tibet and north-western Yunnan at 12,000 ft. altitude. The large leaves are subglabrous beneath and pale brown; the rich pink flowers in large umbels." Fl. No. 8,879.

59,044. Rhod. Sp.

"(No. 10,909. November, 1923).

A small shrub 2 to 3 ft. high found growing in masses on the alpine slopes of the Londjre Mountains in south-eastern Tibet and north-western Yunnan at 13,000 ft. altitude. The elliptical oblong leaves are brownish beneath and the flowers are deep red." Fl. No. 10,268.

59,045. Rhod. Sp.

"(No. 10,910. November, 1923).

A shrub 4 ft. high found growing in fir forests on the Londjre Mountains in south-eastern and north-western Yunnan at 12,000 ft. altitude. The large glabrous green leaves are golden yellow beneath and the large pink flowers which grow in large umbels have a purplish tinge." Fl. No. 8,886.

59,046. Rhod. Sp.

"(No. 10,911. November, 1923).
A small shrub 1 to 1½ ft. high found growing in masses on the Londjre Mountains in south-eastern Tibet and north-western Yunnan at 12,000 ft. altitude. The linear-lanceolate leaves are drab coloured beneath and the flowers are deep-carmine-black." Fl. No. 10,276.

59,047. Rhod. Sp.

"(No. 10,912. November, 1923).
A shrub 3 to 4 ft. high found growing on the middle slopes of the Tsehchung Mountains, north-western Yunnan, at 10,000 ft. altitude. The small oval-elliptical leaves are drab coloured beneath and the branches are slender; the flowers are a beautiful pink." Fl. No. 8,782.

59,048. Rhod. Sp.

"(No. 10,913. November, 1923).
A tree 8 to 10 ft. high collected in a fir forest on the Tsehchung Mountains at the Mekong Watershed, 14,000 ft. altitude. The large oblong leaves are drab coloured beneath and the very large pink flowers grow in dense umbels." Fl. No. 8,827.

59,049. Rhod. Sp.

"(No. 10,914. November, 1923).
A small shrub 1 to 2 ft. high found growing on rocky alpine slopes of the Tsehchung Mountains at 14,000 ft. altitude. The very small oval leaves are $\frac{1}{2}$ in. long and the rich golden yellow flowers are in dense clusters." Fl. No. 10,081.

59,050. Rhod. Sp.

"(No. 10,915. November, 1923).
A shrub 5 ft. high found growing on the middle slopes of the Tsehchung Mountains, Mekong Valley, at 10,000 ft. altitude. The leaves are small elliptical and glabrous and the medium-sized flowers are pale pink." Fl. No. 8,778.

59,051. Rhod. Sp.

"(No. 10,916. November, 1923).
A shrub 3 to 4 ft. high found growing in rocky alpine regions of the Tsehchung Mountains at 11,000 ft. altitude. The oblong leaves are deep brown beneath and the rich pink flowers are mottled with purple." Fl. No. 9,125.

59,052. Rhod. Sp.

“(No. 10,917. November, 1923).
A small shrub 2 to 3 ft. high found
growing in alpine meadows of
Tsehchung Mountains at 12,000
ft. altitude. The oblong leaves are
small and the small yellow flowers
grow on long pedicels.” Fl. No. 8,831.✓

59,053. Rhod. Sp.

“(No. 10,919. November, 1923).
A low shrub 2 ft. high found on the
slopes of Tsehchung Mountains at
10,000 ft. altitude. The small ellip-
tical leaves are glaucous greenish
beneath and the little yellow flowers
are on long pedicels. This plant is
very rare.” Fl. No. 9,083.✓

59,054. Rhod. Sp.

“(No. 10,925. November, 1923).
A shrub 5 ft. high found in the
alpine region of Tsehchung at 11,000
to 12,000 ft. altitude. The leaves are
large, obovate, glabrous and green
on both sides and the rich golden
yellow flowers are in large umbels.”
Fl. No. 10,093.✓

59,055. Rhod. Sp.

"(No. 10,926. November, 1923).

A low growing shrub 1 to 2 ft. high found in alpine regions of Tsehchung at 12,000 ft. altitude. The elliptical leaves are drab to white beneath and the medium-sized flowers are a deep purple carmine." Fl. No. 9,131.

59,056. Rhod. Sp.

"(No. 10,927. November, 1923).

A shrub 3 ft. high found in the alpine region of Tsehchung at 12,000 ft. altitude. The elliptical leaves are white beneath with yellow veins and the large flowers are a rich crimson." Fl. No. 8,924.

59,057. Rhod. Sp.

"(No. 10,959). A shrub 3 to 4 ft. high found in the alpine regions of Tsehchung at 14,000 ft. altitude. The linear-lanceolate leaves are covered beneath with a brown deciduous wool and the flowers are a rich crimson with a purple tinge." Fl. No. 8,769.

59,058. Rhod. Sp.

"(No. 10,960. November, 1923).

A large shrub 6 ft. high found in a Picea forest on the slopes of the Tsehchung Mountains at 10,000 ft. altitude. The large leathery leaves are oblong acuminate and nearly brown beneath while the big flowers are cream-coloured." Fl. No. 9,106.

59,059. Rhod. Sp.

"(No. 10,961. November, 1923).

A shrub 4 to 5 ft. high found growing in rocky alpine regions of the Tsehchung Mountains. Its leaves are ovoid acute and glabrous and the pure pale pink flowers grow in open umbels on slender pedicels." Fl. No. 9,152.

59,060. Rhod. Sp.

"(No. 10,963. November, 1923).

A shrub 3 to 4 ft. high found in alpine meadows of the Tsehchung Mountains at 12,000 ft. altitude. The oval leaves are glabrous and the flowers a deep reddish purple." Fl. No. 8,834.

59,061. Rhod. Sp.

"(No. 10,964. November, 1923).
A prostrate plant only a few inches tall which forms mats in the alpine regions of the Tsehchung Mountains at 13,000 ft. altitude. It has small elliptical leaves and rich carmine flowers." Fl. No. 9,133.

59,062. Rhod. Sp.

"(No. 10,977. October, 1923).
A shrub 5 ft. high found on the slopes of the Tsehchung Mountains at 10,000 ft. altitude. The oblong acuminate leaves are covered with a brown tomentosa beneath and the flowers are pink spotted with purple." Fl. No. 9,144.

59,063. Rhod. Sp.

"(No. 10,978. October, 1923).
A shrub 7 to 8 ft. high found on the slopes of the Tsehchung Mountains overlooking the Mekong Valley at 10,000 ft. altitude. The oblong leaves are brownish tomentose beneath and the flowers are pink." Fl. No. 9,117.

59,064. Rhod. Sp.

"(No. 10,979. October, 1923).

A shrub 5 ft. high found in the alpine regions of the Tsehchung Mountains at 11,000 ft. altitude. The linear oblong leaves are rufous beneath and the flowers are pink."

59,065. Rhod. Sp.

"(No. 10,980. October, 1923).

A shrub only 4 ft. high found in the alpine region of Tsehchung, Mekong Valley. The small leaves are oval-elliptical, acute and covered with brown tomentum beneath; the flowers are white." Fl. No. 9,136.

59,066. Rhod. Sp.

"(No. 10,981. October, 1923).

A shrub 8 ft. high found on the slopes of the Tsehchung Mountains, Mekong Valley, at 10,000 ft. altitude. The oblong leaves are a rich green and covered with yellow tomentum beneath; the white flowers are spotted with purple." Fl. No. 9,115.

59,067. Rhod. Sp.

"(No. 10,982. October, 1923).
A shrub 6 ft. high found on the
slopes of the Tsehchung Mountains,
Mekong Valley, at 10,000 ft. altitude.
The leaves are linear-lanceolate and
covered with yellow tomentum be-
neath; the large flowers are white."
Fl. No. 9,135.

59,068. Rhod. Sp.

"(No. 10,983. October, 1923).
A shrub 5 ft. high found in spruce
forests on the slopes of the Tsehchung
Mountains, Mekong Valley, at 10,000
ft. altitude. The oblong acuminate
leaves are rufous-brown beneath and
the large white flowers are borne in
large umbels." Fl. No. 9,100.

59,069. Rhod. Sp.

"(No. 10,984. October, 1923).
A shrub 3 ft. high found on the
alpine slopes of the Tsehchung
Mountains at 12,000 ft. altitude. The
obovate leaves are densely matted
beneath with chocolate coloured to-
mentosum; the flowers are deep
blackish crimson." Fl. No. 9,120✓

59,070. Rhod. Sp.

"(No. 10,985. October, 1923).
A shrub 3 ft. high found in the alpine
regions of the Tschung Mountains
at 12,000 ft. altitude. The large
obovate leaves are dull green above
and chocolate coloured beneath; the
flowers are deep crimson." Fl. No.
- 9,140. ✓

59,071. Rhod. Sp.

"(No. 10,986. October, 1923).
A small shrub 3 to 4 ft. high found
growing in the alpine regions of the
Tschung Mountains at 14,000 ft.
altitude. The oval leaves are glabrous
and the flowers are a rich lavender."
Fl. No. 8,789.

59,072. Rhod. Sp.

"(No. 10,987. October, 1923).
A large shrub 5 ft. high found in fir
forests in the alpine regions of
Tschung at 13,000 ft. altitude.
The leaves are large, oblong, acute,
glabrous but brown beneath; the
flowers are a rich reddish purple."
- Fl. No. 8,785. ✓

59,073. Rhod. Sp.

"(No. 10,988. October, 1923).
A tall shrub 8 ft. high found in the
forests of Tsehchung at 10,000 ft.
altitude. The leaves are large, oblong,
acute, glabrous and pale beneath;
the white flowers have a slight
- pinkish tinge." Fl. No. 9,102. ✓

59,074. Rhod. Sp.

"(No. 10,989. October, 1923).
A low shrub 3 ft. high found in the
alpine regions of Tsehchung at
12,000 ft. altitude. The leaves are
obovate acute at the base and choco-
late-coloured tomentose beneath; the
flowers are almost black." Fl. No.
- 9,122. ✓

59,075. Rhod. Sp.

"(No. 10,990. October, 1923).
A shrub 5 to 8 ft. high which grows
on the forested slopes of the alpine
regions of Tsehchung at 11,000 ft.
altitude. The lanceolate leaves are
a dull green and glabrous; the
- flowers a purple-pink." Fl. No. 9,127. ✓

59,076. Rhod. Sp.

"(No. 10,991. October, 1923).

A low growing plant 2 ft. high found on the slopes of Tsehchung Mountains at 10,000 ft. altitude. The leaves are small, oval, glabrous and glaucous and the flowers small and yellow." Fl. No. 10,068. ✓

59,077. Rhod. Sp.

"(No. 10,992. October, 1923).

A shrub 5 to 6 ft. high found in the alpine regions of Tsehchung. The oblong acute leaves are brown woolly beneath and the white flowers grow in large umbels." Fl. No. 8,768. ✓

59,078. Rhod. Sp.

"(No. 10,994. October, 1923).

A small plant 1 ft. high found growing on the rocky alpine slopes of the Tsehchung Mountains at 13,000 ft. altitude. It has small oval leaves and rich crimson flowers." Fl. No. 9,279. ✓

59,079. Rhod. Sp.

"(No. 10,995. October, 1923).

A tree 15 to 20 ft. high found growing on the slopes of Tsehchung Mountains. The very large leaves, $1\frac{1}{2}$ ft. long, are obovate oblong and silvery grey beneath; the flowers are large and white." Fl. No. 10,060.

59,080. Rhod. Sp.

"(No. 10,997. October, 1923).

A prostrate shrub found in the alpine regions of Tsehchung. The small oval leaves are green on both sides and the large flowers are dark red." Fl. No. 9,078.

59,081. Rhod. Sp.

"(No. 10,999. October, 1923).

A shrub 4 ft. high found on the rocky slopes of the Tsehchung Mountains at 11,000 ft. altitude. The linear elliptical leaves are brown beneath and the large flowers are a rich crimson." Fl. No. 9,139.

59,082. Rhod. Sp.

"(No. 11,001. October, 1923).
A small shrub 2 ft. high found on the
rocky alpine slopes of the Tsehchung
Mountains. The leaves are very
small and oval and the deep purplish
blue flowers have carmine calyxes."
Fl. No. 10,079. ?

59,083. Rhod. Sp.

"(No. 11,002. October, 1923).
A low shrub 2 ft. high found in the
alpine regions of Tsehchung at
13,000 ft. altitude. It has elliptical
oval leaves which are white beneath,
and large carmine flowers." Fl. No.
9,118. ✓

59,084. Rhod. Sp.

"(No. 11,003. October, 1923).
A low shrub 1 to 2 ft. high found in
the alpine regions of Tsehchung. Its
small oval leaves are glabrous on
both sides but paler and dull green
beneath; the flowers are a rich
carmine." Fl. No. 9,278. ✓

59,085. Rhod. Sp.

"(No. 11,013. October, 1923).
A tree 12 to 15 ft. high found on
alpine slopes at 13,000 ft. altitude.
This striking species has large leaves
1 to 2 ft. long, subsessile and brownish
grey beneath; the large flowers are
purplish pink." Fl. No. 9,095.

59,086. Rhod. Sp.

"(No. 11,014. October, 1923).
A shrub 4 ft. high found on the
alpine slopes of Tsehchung at 13,000
ft. altitude. The leaves are small,
oval, papery, glabrous and the flowers
pale lavender." Fl. No. 9,158.

59,087. Rhod. Sp.

"(No. 11,015. October, 1923).
A shrub or small tree 8 to 10 ft. high
found in forests on the slopes of the
Tsehchung Mountains at 10,000 ft.
altitude. This handsome species has
leaves which are oblong, dull green
and glabrous; its pinkish purple
flowers are in large umbels." Fl. No.
8,777. ✓

59,088. Rhod. Sp.

"(No. 11,016. October, 1923).
A small tree 8 to 10 ft. high found
on the slopes of Tsehchung at 10,000
ft. altitude. Its obovate, oblong
acute leaves are covered with brown
tomentose beneath and its large
flowers are reddish purple." Fl. No.
8,790.✓

59,089. Rhod. Sp.

"(No. 11,017. October, 1923)
A shrub 8 ft. high found on the
alpine slopes of Tsehchung at 12,000
ft. altitude. The oblong leaves are
dark green above and smooth brown
beneath; the flowers are pink."
Fl. No. 9,108.✓

59,090. Rhod. Sp.

"(No. 11,018. October, 1923).
A low-growing shrub 2 ft. tall found
in the alpine regions of Tsehchung at
12,000 ft. altitude. This striking
species has small oval leaves which
are white beneath and very large
rich carmine flowers." Fl. No. 9,209.✓

59,091. Rhod. Sp.

"(No. 11,023. October, 1923).

A shrub 5 to 6 ft. high found in the Sila Pass of the Mekong-Salwin Divide at 14,000 ft. altitude. The lanceolate leaves are brown tuberculate beneath and the flowers are a handsome rich pink." Fl. No. 8,738.

59,092. Rhod. Sp.

"(No. 11,024. October, 1923).

A small shrub 2 to 3 ft. high found in the Sila Pass on the Mekong-Salwin Divide at an altitude of 14,000 ft. The leaves are elliptical oblong, mucronate and drab to white beneath; the flowers are medium sized and a deep blackish crimson." Fl. No. 9,220.✓

59,093. Rhod. Sp.

"(No. 11,026. October, 1923).

A small shrub 4 ft. high found in the Sila Pass on the Mekong-Salwin Divide at an altitude of 13,000 ft. The oval subcordate leaves are glabrous and pale beneath; the flowers are a pale yellowish pink." Fl. No. 9,216.

59,094. Rhod. Sp.

"(No. 11,027. October, 1923).

A shrub 6 ft. high found in the Sila Pass of the Mekong-Salwin Divide at about 11,000 ft. altitude. The obovate leaves are glabrous and paler beneath and the flowers are pinkish purple." Fl. No. 9,231.

59,095. Rhod. Sp.

"(No. 11,028. October, 1923).

A small shrub 5 ft. high found along the stream in the Sila Pass of the Mekong-Salwin Divide at 11,000 ft. altitude. The oblong leaves are glabrous and paler beneath; the large flowers are rich spotted with purple." Fl. No. 9,203.

59,096. Rhod. Sp.

"(No. 11,029. October, 1923).

A low shrub 2 ft. high found in the Sila Pass, the Mekong-Salwin Divide, at 13,000 ft. altitude. The elongate elliptical leaves are dark green above and white beneath; the large flowers are a very dark carmine." Fl. No. 9,214. ✓

59,097. Rhod. Sp.

"(No. 11,030. October, 1923).

A shrub or small tree 5 to 6 ft. high found along the alpine brooks in the Sila Pass on the Mekong-Salwin Divide at 13,000 ft. altitude. The obovate glabrous leaves are golden yellow beneath and the flowers are large and white." Fl. No. 8,743.✓

59,098. Rhod. Sp.

"(No. 11,031. October, 1923)

A shrub 5 ft. high found in the Sila Pass on the Mekong-Salwin Divide at between 12,000 and 13,000 ft. altitude. The oval to obovate leaves are glabrous and golden yellow beneath; the flowers are yellowish pink." Fl. No. 9,198.✓

59,099. Rhod. Sp.

"(No. 11,032. October, 1923).

A low shrub 4 to 5 ft. high found in the Sila Pass on the Mekong-Salwin Divide, 12,000 ft. altitude. The oblong to obovate leaves are golden yellow and glabrous beneath. The flowers are pale pink." Fl. No. 8,748.✓

59,100. Rhod. Sp.

"(No. 11,034. October, 1923).
A shrub or small tree 14 to 15 ft. high
found in the Sila Pass on the Mekong-
Salwin Divide at 12,000 ft. altitude.
The obovate leaves are dark green,
brown tomentose beneath; the small
rich-pink flowers are on slender
pedicels." Fl. No. 9,223. ✓

59,101. Rhod. Sp.

"(No. 11,038. October, 1923).
A shrub 7 to 8 ft. tall found in the
Sila Pass on the Mekong-Salwin
Divide at 12,000 ft. altitude. The
large obovate leaves are golden yellow
beneath and the very large flowers
are a showy yellowish pink." Fl. No.
9,207. ✓

59,102. Rhod. Sp.

"(No. 11,041. October, 1923).
A low shrub 3 to 4 ft. high found in
the Sila Pass on the Mekong-Salwin
Divide. The leaves are obovate,
golden yellow beneath, and the flowers
are rich pink with a purplish tinge."
Fl. No. 8,742. ✓

59,103. Rhod. Sp.

"(No. 11,042. October, 1923).

A low shrub 1 to 2 ft. high found in the Sila Pass on the Mekong-Salwin Divide. The obovate rounded leaves are glabrous and greyish green beneath; the large flowers are carmine with a purplish tinge." Fl. No. 9,233. ?

59,104. Rhod. Sp.

"(No. 11,043. October, 1923).

A tree 18 ft. high found on the Sila Pass on the Mekong-Salwin Divide at 13,000 ft. altitude. The large oblong leaves are dark green above and deep brown tomentose beneath; the very striking large white flowers are on long pedicels." Fl. No. 8,763. ✓

59,105. Rhod. Sp.

"(No. 11,045. October, 1923).

A small tree 8 to 10 ft. high found growing in the Sila Pass on the Mekong-Salwin Divide at 11,000 ft. altitude. The linear elongate leaves are dark blackish grey beneath and dark green above and the large flowers are beautiful rose pink." Fl. No. 8,746. ?

59,106. Rhod. Sp.

"(No. 11,047. October, 1923).

A low shrub 2 ft. high found growing in masses in the Sila Pass on the Mekong-Salwin Divide at 13,000 ft. altitude. The elliptical leaves are greyish brown on top and chocolate colour beneath; the flowers are dark crimson." Fl. No. 9,212. ✓

59,107. Rhod. Sp.

"(No. 11,050. October, 1923).

A shrub or small tree 8 to 10 ft. high found in the Sila Pass on the Mekong-Salwin Divide at about 11,000 ft. altitude. The obovate leaves are golden yellow beneath and the very large flowers are pinkish purple." Fl. No. 9,237. ✓

59,108. Rhod. Sp.

"(No. 11,054. October, 1923).

A small shrub 4 ft. high found in the Sila Pass on the Mekong-Salwin Divide. The ovate-oblong leaves are glabrous and pale beneath; the small flowers are a rich purple." Fl. No. 8,741. ✓

59,109. Rhod. Sp.

"(No. 11,055. October, 1923).
A tall shrub 7 to 8 ft. high found on
the Sila Pass at 12,000 ft. altitude.
The oblong leaves are golden yellow
beneath and glabrous; the flowers
are medium yellow." Fl. No. 9,238.

59,110. Rhod. Sp.

"(No. 11,056. October, 1923).
A shrub 6 to 8 ft. high found on the
Sila Pass at 12,000 ft. altitude. The
oval leaves are glabrous and pale
beneath; the large flowers are rich
yellow." Fl. No. 9,205.

59,111. Rhod. Sp.

"(No. 11,057. October, 1923).
A shrub 6 ft. high found on the Sila
Pass on the Mekong-Salwin Divide
at 12,000 ft. altitude. The oblong
leaves are a rich green, pale golden
green beneath, and the flowers are
pale pink." Fl. No. 9,200. ✓

59,112. Rhod. Sp.

"(No. 11,059. October, 1923).
A shrub 6 to 8 ft. high found on the
Sila Pass on the Mekong-Salwin
Divide at 13,000 ft. altitude. The
broad obovate-oblong leaves are glab-
rous and green on both sides; the
flowers are a dark reddish purple."
Fl. No. 9,204.✓

59,113. Rhod. Sp.

"(No. 11,061. October, 1923).
A low shrub only 3 ft. high found on
the Sila Pass on the Mekong-Salwin
Divide at 12,000 ft. altitude. The
obovate leaves are yellowish green
beneath and glabrous; the flowers
are deep purple carmine." Fl. No.
8,744.✓

59,114. Rhod. Sp.

"(No. 11,063. October, 1923).
A shrub 5 to 6 ft. high found on the
Sila Pass on the Mekong-Salwin
Divide at 12,000 ft. altitude. The
leaves are oval, pale green and
glabrous beneath; the large flowers
are purple pink." Fl. No. 9,219.

59,115. Rhod. Sp.

“(No. 11,064. October, 1923).

A shrub 5 ft. high found on the Sila Pass, Mekong-Salwin Divide, at 12,000 ft. altitude. The leaves are oval subcordate, green on both sides and glabrous; the flowers are pale pink.” Fl. No. 9,199.

59,116. Rhod. Sp.

“(No. 11,065. October, 1923).

A shrub 5 ft. high found on the Sila Pass, Mekong-Salwin Divide. The elliptical leaves are glaucous green beneath and the flowers are pale cream colour.” Fl. No. 9,240.

59,117. Rhod. Sp.

“(No. 11,066. October, 1923).

A shrub 5 ft. high found on the Sila Pass on the Mekong-Salwin Divide at 12,000 ft. altitude. The oval leaves are green on both sides and glabrous; the flowers are orange-pink.” Fl. No. 9,213.

59,118. Rhod. Sp.

“(No. 11,068. October, 1923).

A small tree 8 ft. high found growing on the Sila Pass on the Mekong-Salwin Divide at 12,000 ft. altitude. The large oblong leaves are covered beneath with a fine brown tomentum and the medium-sized flowers are rose-red.” Fl. No. 8,761.✓

59,119. Rhod. Sp.

“(No. 11,069. October, 1923).

A small tree 10 ft. high found on the Sila Pass on the Mekong-Salwin Divide at 12,000 ft. altitude. The large obovate oblong leaves are covered with a chocolate brown tomentum; the flowers are said to be white.” Fl. No.

59,120. Rhod. Sp.

“(No. 11,072. October, 1923).

A very aromatic shrub 7 ft. high found in the mountains of Tseku between 10,000 and 12,000 ft. altitude. The pink flowers have a purple tinge.” Fl. No. 10,052.

59,121. Rhod. Sp.

"(No. 11,073. October, 1923).

A low shrub 4 ft. high found on the mountains of Tseku and Tsehchung. The oblong-acute leaves are covered with a dense brown wool on the under side. The flowers are dark crimson." Fl. No. 8,773.

59,122. Rhod. Sp.

"(No. 11,074. October, 1923).

A prostrate shrub collected on the alpine slopes of the Tseku Mountains at about 13,000 ft. altitude. The small, oval, dark green leaves are deep purple beneath and the flowers are a rich crimson." Fl. No. 8,717✓

59,123. Rhod. Sp.

"(No. 11,076. October, 1923).

A low shrub only 1 ft. high found on the alpine slopes of the Tseku Mountains at 13,000 ft. altitude. The linear, coriaceous leaves have revolute margins and are covered with a dense rufous wool on the under side; the flowers are cream-coloured with purple spots." Fl. No. 10,053.

59,124. Rhod. Sp.

"(No. 11,077. October, 1923).

A low shrub 3 to 4 ft. high found on the slopes of the Tseku Mountains at 10,000 ft. altitude. The small oval leaves are green on both sides but paler beneath and the flowers are a purplish pink." Fl. No. 8,719. ✓

59,125. Rhod. Sp.

"(No. 11,078. October, 1923).

A shrub 4 ft. high found on the Tseku Mountains at 10,000 ft. altitude. The oval green leaves are glabrous on both sides and the flowers are a deep purplish red." Fl. No. 8,715.

59,126. Rhod. Sp.

"(No. 11,080. October, 1923).

A shrub 5 to 6 ft. high collected in the Tseku Mountains at 12,000 ft. altitude. The oblong ovate leaves are pale green beneath and glabrous; the large flowers are pink red." Fl. No. 8,720. ✓

59,127. Rhod. Sp.

"(No. 11,081. October, 1923).

A low shrub 3 ft. high found in the alpine regions of the Tseku Mountains, Mekong. The under side of the obovate leaves is covered with a chocolate-coloured tomentum; the flowers are a deep rich carmine." Fl. No. 8,923. ✓

59,128. Rhod. Sp.

"(No. 11,082. October, 1923).

A small shrub 2 ft. high found in the alpine regions of the Tseku Mountains at 13,000 ft. altitude. The linear oblong leaves are dark green above and silvery white beneath; the flowers are very dark carmine." Fl. No. 8,725. ✓

59,129. Rhod. Sp.

"(No. 11,083. October, 1923).

A shrub 5 to 6 ft. high found in the mountains of Tseku-Lauchaitung, Mekong Valley, at 10,000 ft. altitude. The obovate acute leaves are rich brown tomentose beneath and the flowers are snow white." Fl. No. 8,921. ?

59,130. Rhod. Sp.

"(No. 11,084. October, 1923).

A low shrub $2\frac{1}{2}$ ft. high found in the mountains of Lauchaitung, Mekong Valley, at an altitude of 12,000 ft. The narrow linear leaves have revolute margins and are covered with dense rufous wool beneath." Fl. No. 8,922. ✓

59,131. Rhod. Sp.

"(No. , . November, 1923).

A shrub 5 to 6 ft. high found on the slopes of Alolaka, Salwin Valley, at 11,000 ft. altitude. The oblong acute leaves are dark green above, paler and glabrous beneath; the buds are very dark carmine and the petioles deep red."

59,132. Rhod. Sp.

"(No. 11,085. November, 1923).

A tall shrub 8 ft. high found in the Peima Mountains at 14,000 ft. altitude. The leaves, oval acute at both ends are covered with brown flaky tomentum and the pink flowers are spotted with purple." Fl. No. 9,263.

59,133. Rhod. Sp.

"(No. 11,089. November, 1923).
A low growing shrub 2 to 3 ft. high found in the high alpine meadows of the Peima Mountains, Mekong-Yangtze Divide, at 15,600 ft. altitude. The small oval leaves are covered with a brown tomentose beneath; the small flowers are white." Fl. No. 8,869.

59,134. Rhod. Sp.

"(No. 11,092. November, 1923).
A low shrub 1 to 2 ft. high found in the high alpine regions of the Peima Mountains at from 15,000 to 16,000 ft. altitude. The very small leaves are greyish above and brown beneath; the small flowers are blue." Fl. No. 8,847.

59,135. Rhod. Sp.

"(No. 11,106. November, 1923).
A shrub 5 to 6 ft. high found in the Peima Mountains at 14,000 ft. altitude. The leaves are linear lanceolate and brown tomentose beneath; the cream-coloured flowers are spotted with purple." Fl. No. 8,855✓

59,136. Rhod. Sp.

"(No. 11,109. November, 1923).

A low shrub 2 to 3 ft. high found at 14,000 ft. altitude in the Peima Mountains. The very small leaves are elliptical and brown beneath; and the small flowers are deep blue." Fl. No. 8,849.

59,137. Rhod. Sp.

"(No. 11,110. November, 1923).

A shrub 5 to 6 ft. high found in the Peima Mountains at 13,000 ft. altitude. The leaves are linear-lanceolate acute and glabrous, the flowers white and the bracts large." Fl. No. 8,867.✓

59,138. Rhod. Sp.

"(No. 11,111. November, 1923).

A low-growing shrub 4 ft. high collected in the Peima Mountains at 13,000 ft. altitude. The ovate-oblong leaves are glabrous and green on both sides; the flowers are a pale pinkish purple." Fl. No. 8,846.

59,139. Rhod. Sp.

"(No. 11,112. November, 1923.)

A tall shrub 6 to 8 ft. found growing in the Peima Mountains at 14,000 ft. altitude. The lanceolate leaves are glabrous and the flowers pink, spotted with purple." Fl. No. 9,946. ✓

59,140. Rhod. Sp.

"(No. 11,116. November, 1923).

A tall shrub 10 ft. high found in the Peima Mountains at 14,000 ft. altitude. The oblong leaves are deeply copper-coloured beneath and the flowers are white." Fl. No. 9,272.

59,141. Rhod. Sp.

"(No. 11,119. November, 1923).

A shrub 5 to 6 ft. high found in the Peima Mountains at 14,000 ft. altitude. The leaves are oval acute at both ends and brown or yellowish tomentose beneath; the flowers are white with small purple spots." Fl. No. 8,851. ✓

59,142. Rhod. Sp.

"(No. 11,120. November, 1923).
A small tree 6 to 8 ft. high found on
the Peima Mountains at 14,000 ft.
altitude. The oblong acute leaves
are covered with brown tomentose
beneath and the flowers are pale
pink with deep purple spots." Fl. No.
8,860.✓

59,143. Rhod. Sp.

"(No. 11,121. November, 1923).
A shrub 5 to 6 ft. high collected at
14,000 ft. altitude in the Peima
Mountains. The leaves are ovate-
oblong, brown to carmine tomentose
beneath; flowers white and reddish
purple." Fl. No. 8,857.✓

59,144. Rhod. Sp.

"(No. 11,122. November, 1923).
A shrub 7 to 8 ft. high found at
14,000 ft. altitude in the Peima
Mountains. The oblong acute leaves
are deep brown tomentose beneath
and the flowers are pink." Fl. No.
10,358. ?

59,145. Rhod. Sp.

"(No. 11,123. November, 1923).
A shrub 5 ft. high found at 14,000 ft.
altitude in the Peima Mountains.
The linear-lanceolate leaves are covered
on the under side with rust-brown
flaky tomentum. The flowers are
pink spotted with purple." Fl. No.
8,926.

59,146. Rhod. Sp.

"(No. 11,124. November, 1923).
A shrub 4 to 5 ft. high collected at
14,000 ft. altitude on the Peima
Mountains. The oblong acute leaves
are dark-brown tomentose beneath
and the flowers are purple." Fl. No.
9,955.

✓ 59,147. Rhod. Sp.

"(No. 11,125. November, 1923).
A tall shrub 6 to 8 ft. high collected
at 14,000 ft. altitude on the Peima
Mountains. The oblong leaves are
covered with pale brown matted
tomentum and the white flowers are
spotted with purple." Fl. No.
9,264.✓

59,148. Rhod. Sp.

“(No. 11,126. November, 1923).

A plant 5 inches high found on the high alpine meadows of the Peima Mountains at 15,000 ft. altitude. The minute leaves are elliptical to ovoid and glabrous on both sides; the flowers are yellow.” Fl. No. 9,958.

59,149. Rhod. Sp.

“(No. 11,127. November, 1923)

A low shrub 3 to 4 ft. high found at 14,000 ft. altitude on the Peima Mountains. The ovoid oblong leaves are glabrous and the flowers are pinkish purple.” Fl. No. 8,848.

59,150. Rhod. Sp.

“(No. 11,128. November, 1923).

A shrub 5 ft. high found at 13,000 ft. altitude in the Peima Mountains. The leaves are oval acute, subcordate base and glabrous; the flowers are a rich lavender.” Fl. No. 9,250.

59,151. Rhod. Sp.

There is no information available regarding these seeds as they were received under a number belonging to a primrose.

Fl. No. 8,843.

59,152. Rhod. Sp.

"(No. 11,130. November, 1923).

A tiny shrub only 1 ft. high found in the alpine meadows of the Peima Mountains at 15,000 ft. altitude. The small oval leaves are brown and silky beneath and the flowers are bluish purple." Fl. No. 9,952.

59,153. Rhod. Sp.

"(No. 11,132. November, 1923).

A small shrub 4 to 5 ft. high found in the Peima Mountains at 13,000 ft. altitude. The ovoid leaves are glabrous and paler beneath; the medium-sized flowers are lavender blue."

Fl. No. 8,866.

59,154. Rhod. Sp.

"(No. 11,133. November, 1923).

A shrub 6 ft. high found on the alpine slopes of the Peima Mountains at 14,000 ft. altitude. The leaves are oblong, dark green with pale whitish yellow matted tomentum; the very large, rich purple flowers are spotted with dark purple." Fl. No. 9,969.✓



59,155. Rhod. Sp.

"(No. 11,134. November, 1923).

A shrub 5 ft. high found at 14,000 ft. altitude in the Peima Mountains. The ovoid acute leaves are dark green with revolute margins and are densely matted beneath with brown tomentum; the flowers are white." Fl. No. 9,947.

59,156. Rhod. Sp.

"(No. 11,137. November, 1923.)

A low shrub 2 to 3 ft. high found at 12,000 ft. altitude in the alpine meadows of Litiping, Mekong-Yangtze Divide. The oval leaves are glabrous and the bright-yellow flowers are in large umbels." Fl. No. 8,947.

✓59,157. Rhod. Sp.

"(No. 11,130. November, 1923).
A tree 12 to 15 ft. high found at
12,000 ft. altitude in the alpine forests
of Litiping. The oblong leaves are
glabrous green and the deep purple
flowers are spotted with darker
purple." Fl. No. 9,161✓



59,158. Rhod. Sp.

"(No. 11,140. November, 1923).
A tall shrub 10 to 12 ft. high found in
alpine forests of Litiping at 11,000 ft.
altitude. The oblong leaves are
glabrous green and the purple flowers
are not spotted." Fl. No. 9,167. ✓

59,159. Rhod. Sp.

"(No. 11,141. November, 1923).
A small shrub 4 to 5 ft. high collected
at 11,000 ft. altitude on the slopes of
the Yetche Mountains. The leaves
are small, oval, green and glabrous
and the flowers lavender." Fl. No.
9,068.

59,160. Rhod. Sp.

"(No. 11,142. November, 1923).

A shrub 6 ft. high found in the Yetche Mountains, Mekong Valley, at 10,000 ft. altitude. The leaves are oblong, lanceolate acute, with brown tomentum beneath; the flowers are pink." Fl. No. 9,075. ?

59,161. Rhod. Sp.

"(No. 11,143. November, 1923).

A small shrub 3 ft. high found at 12,000 ft. altitude in the mountains of Anwa-Yetche. The leaves are oval, acute with pale yellow matted wool; the flowers are pinkish red." Fl. No. 8,959.

59,162. Rhod. Sp.

"(No. 11,144. November, 1923).

A small shrub 3 ft. high found at 14,000 ft. altitude in the alpine regions of Anwa. The leaves are linear lanceolate, coriaceous, densely rufous woolly beneath; the handsome flowers are pure white." Fl. No. 8,941. ✓

59,163. Rhod. Sp.

"(No. 11,146. November, 1923).
A shrub 4 ft. high found in the
alpine regions of Anwa, Mekong
Valley. The leaves are linear oblong,
deeply rufous beneath; the large
flowers are white." Fl. No. 8,957.

59,164. Rhod. Sp.

"(No. 11,147. November, 1923).
A shrub 4 ft. high found in the
alpine regions of Anwa at 13,000 ft.
altitude. The broadly obovate leaves
are suborbicular, green and glabrous;
the large flowers are bright yellow."
Fl. No. 8,930.

59,165. Rhod. Sp.

"(No. 11,148. November, 1923).
A little plant 1 ft. high found on the
alpine slopes of Moting Mountains,
north-east of Atuntze, at 14,000 ft.
altitude. The leaves are very small,
oval brown and tuberculate beneath;
the small flowers are yellow." Fl. No.
9,319.

✓ 59,166. Rhod. Sp.

“(No. 11,154). A rare shrub only 1 ft. high found in the Champutong Mountains, Salwin-Irrawaddy Divide, at 13,000 ft. altitude. The leaves are obovate elliptical with brownish black matted wool beneath; the flowers are yellowish red.” Fl. No. 10,219. ✓

✓ 59,167. Rhod. Sp.

“(No. 11,157. October, 1923). A low shrub 1 to 3 ft. high found at 13,000 ft. altitude on the Champutong Mountains, Salwin-Irrawaddy Divide. The spatulate leaves are dark green, purplish black tomentose beneath; the rare flowers are yellowish red.” Fl. No. 10,107. ✓

✓ 59,168. Rhod. Sp.

“(No. 11,158. October, 1923.) A low shrub 1 to 2 ft. high found at 13,000 ft. altitude on the Champutong Mountains, Salwin-Irrawaddy Divide. The leaves are elliptical with drab tomentose beneath; the flowers are reddish purple.” Fl. No. 10,218. ✓

59,169. Rhod. Sp.

“(No. 11,161. October, 1923).
A small shrub 1 to 2 ft. high found in the Champutong Mountains, Salwin-Irrawaddy Divide, at 14,000 ft. altitude. The branches are stiff and erect; the elliptical leaves brownish beneath; and the flowers are yellow.”
Fl. No. 10,109.✓

/59,170. Rhod. Sp.

“(No. 11,163. October, 1923).
A tree 8 to 10 ft. high found at Kenichunpu, Salwin - Irrawaddy Divide, at 13,000 ft. altitude. The leaves are obovate-oblong, mucronate and densely matted with red-brown tomentum; the flowers are red.”
Fl. No. 10,150.✓

59,171. Rhod. Sp.

“(No. 11,164. November, 1923).
A small shrub 4 ft. high found at 13,000 ft. altitude in the Kenichunpu Mountains on the Salwin-Irrawaddy Divide. The leaves are obovate elliptical and covered with dark brownish-black tomentum beneath; the flowers are pink.” Fl. No. 10,162.✓

59,172. Rhod. Sp.

“(No. 11,165. November, 1923). A tree 18 to 20 ft. high found in the Kenichunpu Mountains on the Salwin Irrawaddy Divide at 13,000 ft. altitude. The very large leaves are obovate-oblong, deep rich brown and evenly tomentose beneath; the flowers are a rich yellow.” Fl. No. 10,120. ✓

59,173. Rhod. Sp.

“(No. 11,167. Champutong. October, 1923). A small shrub 4 ft. high found growing on Mount Kenichunpu at 12,000 ft. altitude. The elliptical leaves are brownish-glaucous and glabrous beneath and the yellow flowers are on long pedicels.” Fl. No. 10,223.

59,174. Rhod. Sp.

“(No. 11,169. October, 1923). A very low shrub 1 to 2 ft. high found growing on Mount Kenichunpu, Salwin-Irrawaddy Divide, at 13,000 ft. altitude. The obovate, spathulate leaves are glabrous, dark rich green above and paler beneath. The flowers are not seen.”

59,175. Rhod. Sp.

“(No. 11,175. October, 1923).

A shrub 5 ft. high found on Mount Kenichunpu, Salwin - Irrawaddy Divide, at 13,000 ft. altitude. The oval obovate leaves are rich green above and chocolate coloured beneath; the flowers are a rich red.” Fl. No. 10,129.✓

59,176. Rhod. Sp.

“(No. 11,176. October, 1923).

A small shrub 1 to 2 ft. high found on Mount Kenichunpu, Salwin-Irrawaddy Divide, at 13,000 ft. altitude. The leaves are small, elliptical, acute at both ends and yellowish-white tomentose beneath; the flowers are deep crimson.” Fl. No. 10,105.✓

59,177. Rhod. Sp.

“(No. 11,177. October, 1923).

A shrub 2 to 3 ft. high found on Mount Kenichunpu, Salwin-Irrawaddy Divide, at 13,000 ft. altitude. The leaves are elliptical acute, white tomentose beneath; the flowers are very dark crimson.” Fl. No. 10,098.✓

59,178. Rhod. Sp.

“(No. 11,179. October, 1923).
A tall shrub 7 to 8 ft. high found on
Mount Kenichunpu, Salwin-Irra-
waddy Divide, at 13,000 ft. altitude.
The oblong acute leaves are long
tapering at base, densely squamately
tomentose beneath and the flowers
are red.” Fl. No. 10,145.✓

59,179. Rhod. Sp.

“(No. 11,180. October, 1923).
A shrub 5 ft. high found on Mount
Kenichunpu, Salwin - Irrawaddy
Divide, at 13,000 ft. altitude. The
obovate elliptical leaves are glabrous
and golden yellow green beneath;
the flowers are red.” Fl. No. 10,172.✓

59,180. Rhod. Sp.

“(No. 11,181. October, 1923).
A low shrub 3 ft. high found on
Mount Kenichunpu, Salwin-Irra-
waddy Divide, at 13,000 ft. altitude.
The elliptical leaves are brownish
tomentose beneath and the flowers
are red.” Fl. No. 10,140.✓

- 59,181. Rhod. Sp.

"(No. 11,182. October, 1923).
A shrub 6 ft. high found on Mount
Kenichunpu, Salwin - Irrawaddy
Divide, at 13,000 ft. altitude. The
obovate oblong leaves are covered
with squamose brown tomentum be-
neath and the flowers are red."
Fl. No. 10,133.✓

- 59,182. Rhod. Sp.

"(No. 11,188. October, 1923).
A prostrata plant, only a few inches
high, found between 14,000 and 15,000
ft. altitude on Mount Kenichunpu,
Salwin-Irrawaddy Divide. The very
small leaves are elliptical and covered
with pale brown tomentum beneath
and the large, bright-red flowers are
on long pedicels." Fl. No. 10,122. ?

- 59,183. Rhod. Sp.

"(No. 11,189. October, 1923).
A tree 10 ft. high found at 13,000 ft.
altitude on Mount Kenichunpu,
Salwin-Irrawaddy Divide. The linear
lanceolate leaves are a rich green above
and dark brown woolly beneath; the
flowers are pink." Fl. No. 10,125.7

59,184. Rhod. Sp.

"(No. 11,190. October, 1923).
A shrub 6 ft. high found on Mount
Kenichunpu, Salwin - Irrawaddy
Divide, at 13,000 ft. altitude. The
leaves are oval acute, subcordate and
thin brownish tomentose beneath;
the flowers are pink." Fl. No. 10,195.

59,185. Rhod. Sp.

"(No. 11,192. October, 1923).
A shrub or small tree 10 ft. high
found at 13,000 ft. altitude on Mount
Kenichunpu, Salwin - Irrawaddy
Divide. The linear oblong leaves are
dull green above with the veins
deeply impressed and reddish brown
tomentose beneath; the flowers are
pink." Fl. No. 10,198. ?

59,186. Rhod. Sp.

"(No. 11,193. October, 1923).
A shrub or tree 7 to 10 ft. high found
at 13,000 ft. altitude on Mount
Kenichunpu, Salwin - Irrawaddy
Divide. The leaves are linear lanceo-
late, acuminate and dark rufous
woolly beneath; the flowers are pink."
Fl. No. 10,117. ?

59,187. Rhod. Sp.

"(No. 11,195. October, 1923).
A shrub or small tree 8 to 10 ft. high
found at from 12,000 to 13,000 ft.
altitude on Mount Kenichunpu,
Salwin-Irrawaddy Divide. The
oblong acute leaves are greenish
flaky tomentose beneath; the flowers
are pink." Fl. No. 10,113.

/ 59,188. Rhod. Sp.

"(No. 11,196. October, 1923).
A tree 8 to 10 ft. high found on Mount
Kenichunpu, Salwin - Irrawaddy
Divide, at 13,000 ft. altitude. The
oblong acuminate leaves are covered
with yellowish tomentose beneath
and both petioles and pedicels are
hirsute; the flowers are pink."
Fl. No. 10,196. ?

59,189. Rhod. Sp.

"(No. 11,198. October, 1923).
A very small shrub only 2 ft. high
found at 13,000 ft. altitude on Mount
Kenichunpu, Salwin - Irrawaddy
Divide. The very small ovate leaves
are tuberculate beneath and the
flowers are yellow." Fl. No. 10,126.

59,190. Rhod. Sp.

"(No. 11,201. October, 1923).

A shrub 6 ft. high found at 13,000 ft. altitude, on Mount Kenichunpu, Salwin-Irrawaddy Divide. The large leaves are obovate oblong with dense brown matted wool beneath; the flowers are scarlet." Fl. No. 10,199. ✓

59,191. Rhod. Sp.

"(No. 11,202. October, 1923).

A shrub 7 to 8 ft. high found at 12,000 ft. altitude on Mount Kenichunpu, Salwin-Irrawaddy Divide. The linear elliptical leaves are white and glaucous glabrous beneath; the red flowers are on long pedicels." Fl. No. 10,149. ✓

59,192. Rhod. Sp.

"(No. 11,205. October, 1923).

A small shrub 3 ft. high found on Mount Kenichunpu, Salwin-Irrawaddy Divide. The oval elliptical leaves are pale yellow and glabrous beneath; the flowers are red." Fl. No. 10,170. ✓

59,193. Rhod. Sp.

“(No. 11,211. October, 1923).

A tree 15 to 18 ft. tall found at 13,000 ft. altitude on Mount Kenichunpu, Salwin-Irrawaddy Divide. The large oblong leaves are densely matted brown beneath; flowers not seen.”

59,194. Rhod. Sp.

“(No. 11,238. October, 1923).

A small shrub $1\frac{1}{2}$ to 2 ft. high found on the rocky slopes of Mount Kenichunpu at 13,000 ft. altitude on the Salwin-Irrawaddy Divide. The small oval leaves are brown tomentose beneath and the flowers are red.”

59,195. Rhod. Sp.

“(No. 11,252. October, 1923).

A shrub 8 ft. high found at from 12,000 to 13,000 ft. altitude on Mount Lautchün. The narrow elliptical leaves are deeply rufous woolly beneath and the flowers are pink.”

59,196. Rhod. Sp.

“(No. 11,260. October, 1923).

A low shrub 2 ft. high found at 10,000 ft. altitude on the slopes of Mount Lautchün. The small linear leaves are revolute and pale brown beneath; the flowers are pale pink.”

59,197. Rhod. Sp.

“(No. 11,269. October, 1923).

A shrub 5 ft. high collected on Mount Lautchün at 8,500 ft. altitude. The oblong leaves are dark green glabrous, paler underneath and the deep purplish red flowers are on slender pedicels.”
Fl. No. 8,395.

59,198. Rhod. Sp.

“(No. 11,270. October, 1923).

A very tall shrub 12 ft. high found at 8,500 ft. altitude on Mount Lautchün. The leaves are oblong-oval and glabrous on hirsute petioles and the flowers are a rich pink.”
Fl. No. 8,393.

59,199. Rhod. Sp.

“(No. 11,271. October, 1923).
A shrub 6 to 10 ft. high found at
8,500 ft. altitude on Mount Lautchün.
The small oval leaves are a deep
brown beneath and the large flowers
shade from lavender to deep purple.”
Fl. No. 8,419.

- 59,200. Rhod. Sp.

“(No. 11,272. October, 1923).
A shrub or small tree 15 to 18 ft.
tall found on the slopes of Mount
Shenzi. The large dark green leaves
are glabrous on both sides and the
large flowers are red.”

- 59,201. Rhod. Sp.

“(No. 11,275. October, 1923).
A shrub 6 ft. high found on Mount
Shenzi at 10,000 ft. altitude. The
large oblong acute leaves are dark
green and glabrous on both sides;
the flowers are red.” Fl. No. 9,607.?

59,202. Rhod. Sp.

"(No. 11,278.) A low shrub 2 to 3 ft. high found among rocks on Mount Shenzi at 13,000 ft. altitude. The thick coriaceous leaves are densely covered with a rough brown cottony tomentum on the under side; flowers pink." Fl. No. 9,503.

59,203. Rhod. Sp.

"(No. 11,280. October, 1923). A tree 12 to 15 ft. high found at Labako at about 9,000 ft. altitude. The oval acute leaves are glabrous green on both sides and the white flowers have a pinkish tinge." Fl. No. 8,429.

59,204. Rhod. Sp.

"(No. 11,283. October, 1923). A shrub 5 ft. high found in forests at Labako at 10,000 ft. altitude. The acute elliptical leaves are rich green and glabrous on both sides; the flowers are pink."

-59,205. Rhod. Sp.

"(No. 11,285. October, 1923).

A small tree 10 ft. high found on the alpine plains of Labako at 12,000 ft. altitude. The linear leaves are almost needle-shaped with long revolute margins; they are dark green above and rufous brown woolly beneath. The white flowers are in dense umbels."

59,206. Rhod. Sp.

"(No. 11,287. October, 1923).

A shrub only 2 ft. high found among rocks on the mountains of Labako, at 12,000 ft. altitude. The small oval leaves are brown and dotted beneath and the flowers are red."

59,207. Rhod. Sp.

"(No. 11,288. October, 1923).

A low shrub 3 ft. high found in forests in the Labako Mountains at 10,000 ft. altitude. Leaves oval-orbicular, glaucous green beneath, glabrous; the flowers are white."

59,208. Rhod. Sp.

"(No. 11,290. October, 1923).
A shrub 6 ft. high found in a fir forest, Labako Mountains, at 11,000 ft. altitude. The ovate-oblong acute leaves are green and glabrous on both sides with red hairy stems. The flowers are red." Fl. No. 9,533✓

59,209. Rhod. Sp.

"(No. 11,294. October, 1923).
A low shrub 2 ft. high found among rocks on the alpine regions of the Labako Mountains at 13,000 ft. altitude. The small oval leaves are pale golden brown beneath and spotted; the flowers are a purple blue."

59,210. Rhod. Sp.

"(No. 11,295. October, 1923).
A small shrub 2 ft. high found on rocky slopes of the alpine regions in the Labako Mountains at 13,000 ft. altitude. Leaves oval densely brown dotted beneath; the flowers are a deep indigo with a purplish tinge." Fl. No. 11,295.

59,211. Rhod. Sp.

"(No. 11,296. October, 1923).

A shrub 3 ft. high found growing at from 13,000 to 13,800 ft. altitude in the alpine meadows of the Labako Mountains. Leaves small, oval, densely dotted, brown beneath. The flowers are deep purplish blue." Fl. No. 9,554.

-59,212. Rhod. Sp.

"(No. 11,297. October, 1923).

A handsome species 3 ft. high found among rocks on the Labako Mountains at 11,000 ft. altitude. The undulating leaves are elliptical acute at both ends with revolute margins, and pale green beneath; the flowers are large and white." Fl. No. 8,444.✓

-59,213. Rhod. Sp.

"(No. 11,301. October, 1923).

A shrub 5 ft. high found on the summit of Mount Kintze at 13,000 ft. altitude. The margins of the needle-shaped leaves are so strongly revolute that they meet below; the flowers are white."

59,214. Rhod. Sp.

"(No. 11,303. October, 1923).
A very small shrub 1 ft. high found
in rocky alpine regions of Mount
Kintze at 13,000 ft. altitude. The
minute elliptical leaves are brown
tomentose beneath and the small
flowers are pale blue." Fl. No. 9,494.

59,215. Rhod. Sp.

"(No. 11,304. October, 1923).
A very small plant 6 to 8 inches high
found in the rocky alpine regions of
Mount Kintze at 13,000 ft. altitude.
The minute elliptical leaves are
brown beneath and the flowers vary
from purplish pink to red." Fl. No.
9,492.

-59,216. Rhod. Sp.

"(No. 11,305. October, 1923).
A plant a few inches high found on
the alpine slopes of Mount Kintze
at 13,000 ft. altitude. The small
oval, acute leaves are glaucous beneath
and the crimson flowers are on long
erect peduncles." Fl. No. 9,482. ✓

-59,217. Rhod. Sp.

"(No. 11,306. October, 1923).
A scaly prostrate shrub growing on
the summit of Mount Kintze at
13,000 ft. altitude. The spatulate
leaves are densely covered with
cottony brown tomentum and the
flowers are white." Fl. No. 9,490. ?

/ 59,218. Rhod. Sp.

"(No. 11,307. October, 1923).
A shrub 8 ft. high found near the
summit of Mount Kintze at 13,000
ft. altitude. The elliptical leaves are
densely woolly beneath and the flowers
are white." Fl. No. 9,497. ?

59,219. Rhod. Sp.

"(No. 11,308. October, 1923).
A shrub 5 ft. high found at 12,000 ft.
elevation on Mount Kintze. The
leaves are elliptical-oblong and glab-
rous. The flowers are yellow."

-59,220. Rhod. Sp.

"(No. 11,310. October, 1923).
A small plant 1 ft. high found on the
mountains of Luruako-Labako at
12,000 ft. altitude. The leaves are
elliptical, oblong, acute and pale
green on both sides; the flowers are
pale pink." Fl. No. 8,455. ✓

-59,221. Rhod. Sp.

"(No. 11,311. October, 1923).
A shrub 5 to 6 ft. high found on the
mountains of Luruako at 12,000 ft.
altitude. The linear needle-shaped
leaves have revolute margins and are
densely rufous beneath; the white
flowers grow in dense umbels."
Fl. No. 8,461. ✓

-59,222. Rhod. Sp.

"(No. 11,312. October, 1923).
A low shrub 3 to 4 ft. high found on
the rocky slopes of the mountains
of Luruako at 12,000 ft. altitude.
The long linear lanceolate leaves are
a glossy dark green above and red
rufous woolly beneath, the flowers are
white." Fl. No. 8,465. ✓

- 59,223. Rhod. Sp.

"(No. 11,313. October, 1923). A small shrub 4 ft. high found in the high mountains of Luruako at 12,000 ft. altitude. The leaves are oval-acute, subcordate and pale yellow to brown tomentose beneath; the flowers are pink." Fl. No. 8,462.✓

- 59,224. Rhod. Sp.

"(No. 11,314. October, 1923). A shrub 4 to 5 ft. high found in the high mountains of Luruako at 13,000 ft. altitude. The oblong acute leaves are dark green and reticulate above and from pale yellow to brown tomentose beneath. The flowers are pink." Fl. No. 8,464.✓

59,225. Rhod. Sp.

"(No. 11,315. October, 1923). A plant 2 ft. high found in swampy situations or on slopes along streams on the mountains of Luruako at 10,000 ft. altitude. The leaves, small linear elliptical are pale brown dotted beneath and the flowers are blue."

59,226. Rhod. Sp.

"(No. 11,316. October, 1923).
A shrub 5 ft. high found at the foot
of the mountains of Litiping. It is
a beautiful species with pale green
elliptical leaves and very fragrant
large yellow flowers." Fl. No. 9,168.

59,227. Rhod. Sp.

"(No. 11,321. October, 1923).
A shrub 7 to 8 ft. high found in
alpine meadows on the slopes of the
Litiping Mountains at 12,000 ft.
altitude. The oval acute leaves are
subcordate at base and pale green
glabrous beneath; the yellow flowers
have a pinkish tinge." Fl. No. 9,070.

59,228. Rhod. Sp.

"(No. 11,322. October, 1923).
A shrub 6 to 8 ft. high found in the
mountains of Yetche at 12,000 ft.
altitude. The leaves are oblong
acute at both ends and covered with
soft brown tomentum beneath.
Flowers unknown."

-59,229. Rhod. Sp.

"(No. 11,325. November, 1923).
A shrub 5 to 6 ft. high found in the
Peima Mountains at 14,000 ft. altitude.
The broadly oval leaves are coriaceous
with deciduous tomentum."

59,230. Rhod. Sp.

"(No. 11,335. November, 1923).
A shrub 6 ft. high found on the
Moting Mountains at from 13,000 to
14,000 ft. altitude. The leaves are
oval oblong acute subcordate and
brown tomentose beneath. Flowers
not seen."

-59,231. Rhod. Sp.

"(No. 11,341. November, 1923).
A shrub 5 to 6 ft. high found on the
high alpine slopes of the Peima
Mountains between 14,000 and 15,000
ft. altitude. The acute obovate-
oblong leaves are covered beneath
with a faintly appressed brown silky
tomentum. Flowers not seen."

59,232. Rhod. Sp.

“(No. 11,342. November, 1923).
A shrub from 5 to 8 ft. found on the
alpine slopes of the Moting Mountains
between 14,000 and 15,000 ft. altitude.
The oblong acute leaves are covered
with rufous brown tomentose be-
neath.”

59,233. Rhod. Sp.

“(No. 11,344. November, 1923).
A shrub 6 to 8 ft. high found on the
alpine slopes of the Moting Mountains
at from 14,000 to 15,000 ft. altitude.
The leaves are elliptical oblong acute
and a rich brown tomentose beneath.”

59,234. Rhod. Sp.

“(No. 11,348). A tree from 20 to
25 ft. high with spreading branches
found below Shundsungla, Mekong-
Salwin Divide, at 11,500 ft. altitude.
The very large oblong leaves are
broadest at the tip and are 2 ft. long,
dark green above and silvery beneath.
The large flowers are cream coloured.”

— 59,235. Rhod. Sp.

“(No. 11,351. November, 1923).
A tree 18 to 20 ft. high with branches more or less slender, found at 11,500 ft. altitude below Shundsungla, Mekong-Salwin Divide. The leaves are obovate-oblong, acute and brown tomentose beneath.”

— 59,236. Rhod. Sp.

“(No. 11,354. November, 1923).
A tree 18 ft. high found in mixed forest on the slopes of Dokerla at 11,000 ft. altitude. The leaves are linear-oblong acute at both ends, evenly green and glabrous on both sides; the flowers are red and the fruits numerous.”

59,237. Rhod. Sp.

“(No. 11,355. November, 1923).
A shrub 4 to 5 ft. high found on the outskirts of the spruce forest on the eastern slopes of the Karila-Yangtze Divide at 12,000 ft. altitude. The broadly ovate-orbicular leaves are glaucous glabrous beneath and the flowers are said to be yellow.”

59,238. Rhod. Sp.

"(November, 1923). A large shrub 10 to 12 ft. high found along the streams in forests on the Dockerla Mountains at 12,000 ft. altitude. The dark green oblong leaves are glabrous on both sides."

59,239. Rhod. Sp.

"(No. 11,358. December, 1923). A tree 12 to 15 ft. high found along the streams in the forests of Pongela at 11,000 ft. altitude. The linear-lanceolate leaves are dull green above, paler and glabrous beneath; the flowers are said to be purplish red."

59,240. Rhod. Sp.

"(No. 11,362. November, 1923). A low shrub 1 to 2 ft. high, found in swampy places, Haraku, Likiang Snow Range, at 11,000 ft. altitude. The small linear leaves are pale brown beneath and the flowers are said to be whitish pink."

59,241. Rhod. Sp.

"(No. 11,364. November, 1923).
A shrub 3 to 4 ft. high found at
12,000 ft. altitude on the Likiang
Snow Range. The elliptical leaves
are glabrous green on both sides and
the flowers are pale blue." Fl. No.
8,494.

59,242. Rhod. Sp.

"(No. 11,366. November, 1923).
A tree 12 ft. high found between
10,000 and 11,000 ft. altitude on the
western slopes of the Likiang Snow
Range. The linear oblong leaves are
glabrous and pale green beneath;
the flowers are purple." Fl. No.
8,214.

59,243. Rhod. Sp.

"(No. 11,368. November, 1923).
A shrub 6 to 8 ft. high found at
11,000 ft. altitude on the Likiang
Snow Range. The small oval acute
leaves are pale yellow beneath and the
flowers are lavender." Fl. No. 8,562.

59,244. Rhod. Sp.

"(No. 11,369. November, 1923). A shrub or small tree 8 ft. high found on the western slopes of the Likiang Snow Range at 10,000 ft. altitude. The linear oblong leaves are pale green and glabrous beneath; the flowers are purplish red and spotted with darker red." Fl. No. 8,212.

-59,245. Rhod. Sp.

"(No. 11,370. November, 1923). A tree 25 ft. high found on the western slopes of the Likiang Snow Range at 10,000 ft. altitude. The obovate oblong leaves are covered with ash-grey tomentose beneath, and the large umbels of pale pink flowers are on long pedicels." Fl. No. 8,218.✓

-59,246. Rhod. Sp.

"(No. 11,374. Zinako. November 1923). A tree 25 to 30 ft. high with a trunk 1 ft. in diameter found in forests on the western slopes of the Likiang Snow Range at 10,000 ft. altitude. The large leaves are silvery white beneath; the flowers rose-pink (not spotted) grow in large umbels." Fl. No. 8,216.✓

59,247. Rhod. Sp.

"(No. 11,375. November, 1923). A tree 12 to 18 ft. high found at Zinako on the western slopes of the Likiang Snow Range at 10,000 ft. altitude. The leaves are linear oblong, glabrous and dull green; the large flowers are a delicate pink with a few purple spots." Fl. No. 8,215.

- 59,248. Rhod. Sp.

"(No. 11,376. Zinako. November 1923). A tree 15 to 18 ft. high found at 10,000 ft. altitude on the western slopes of the Likiang Snow Range. The oval oblong acute leaves are pale yellowish grey beneath and the large flowers are uniformly pinkish purple and not spotted." Fl. No. 8,217. ✓

- 59,249. Rhod. Sp.

"(No. 11,377. November, 1923). A shrub 12 to 18 ft. high found at 10,000 ft. altitude in the forests above Ashi on the western slopes of the Likiang Snow Range. The oblong bluntly acute leaves are pale green beneath and the large dark purple flowers are not spotted." Fl. No. 8,210. ✓

- 59,250. Rhod. Sp.

"(No. 11,378. November, 1923).
A small tree 15 ft. high found at
11,000 ft. altitude in the mountains
of Sungkwe, south of Likiang. The
large oblong leaves are densely rufous
brown beneath and the flowers are
white." Fl. No. 8,272. ✓

- 59,251. Rhod. Sp.

"(No. 11,380. November, 1923).
A shrub 7 to 8 ft. high found at
10,000 ft. altitude in the Sungkwe
Mountains, south of Likiang. The
elliptical-oblong leaves are pale green
and paler beneath; the flowers are
deep reddish purple." Fl. No. 8,262. ✓

- 59,252. Rhod. Sp.

"(No. 11,390. November, 1923).
A shrub 6 to 8 ft. high found in fir
forests Litiping, on the Mekong-
Yangtze Divide. The linear oblong
narrow leaves are dark green, paler
beneath and the flowers are purple."

59,253. Rhod. Sp.

“(No. 11,392. October, 1923).
A small shrub 3 to 4 ft. high found growing on dry rocky limestone slopes at the edge of pine forests beyond Heshwe, east of the Likiang Snow Range, at 11,000 ft. altitude. The obovate acute leaves are a pale golden brown beneath and the flowers are a rich bluish lavender.” Fl. No. 8,362.

59,254. Rhod. Sp.

“(No. 11,393. October, 1923).
A shrub 4 ft. high found among limestone boulders in a larch forest on the road to Bayuva, east of Likiang Snow Range, at 11,000 ft. altitude. The elliptical oval leaves are silky brown beneath and the flowers are deep lavender.” Fl. No. 8,331.

59,255. Rhod. Sp.

“(No. 11,395. November, 1923).
A small tree 25 ft. high found in a fir forest on the western slopes on the Likiang Snow Range at 12,000 ft. altitude. The large oblong leaves are dark green and densely rufous brown woolly beneath; the flowers are pink.”

- 59,256. Rhod. Sp.

"(No. 11,396. November, 1923).
A shrub 8 ft. high found at about
13,000 ft. altitude on the western
slope of the Likiang Snow Range.
The oblong acute leaves are yellowish
brown tomentose beneath and the
flowers are white."

59,257. Rhod. Sp.

"(No. 11,401. November, 1923).
A low shrub 2 ft. high found among
rocks at Haraku on the eastern
slopes of the Likiang Snow Range.
The small narrow-linear leaves are
brownish beneath and the fragrant
flowers are white."

- 59,258. Rhod. Sp.

"(No. 11,415. November, 1923).
A low shrub 2 ft. high found in a drier
region on the rocky slopes of the
Likiang Snow Range at from 9,500
to 11,000 ft. altitude. The leaves
are small oval and white beneath;
the flowers are pale pink."

59,259. Rhod. Sp.

“(No. 11,434. November, 1923).
A shrub 2 ft. high found among
rocks on the alpine slopes of the
Likiang Snow Range, between 14,000
and 15,000 ft. altitude. The small
elliptical spathulate leaves are bronze
coloured and the flowers are deep
red.”

-59,260. Rhod. Sp.

“(No. 11,459. November, 1923).
A shrub 6 ft. high found on the
alpine slopes of the Likiang Snow
Range at 14,000 ft. altitude. The
oblong acute leaves are pale yellow
beneath and the large flowers are
pure white.”

59,261. Rhod. Sp.

“(No. 11,463. Nadchua. Nov-
ember, 1923). A tree 15 to 18 ft.
high found among rocks at 14,000 ft.
altitude on the Likiang Snow Range.
The leaves are large, oblong-acute,
silky, faintly brown tomentose be-
neath; the very large flowers are
pink.”

59,262. Rhod. Sp.

"(No. 11,465. Nadchua. November, 1923). A plant 1 ft. high found on the rocky slopes 14,500 ft. altitude, Likiang Snow Range. The very small leaves are elliptical oval and brown beneath; the flowers are indigo blue."

—59,263. Rhod. Sp.

"(No. 11,460. November, 1923). A plant 1 ft. high found in alpine meadows on the Likiang Snow Range at 15,000 ft. altitude. The very small oval leaves are brown beneath and the small flowers are a deep purplish blue."

59,435. Rhod. Fortunei Lindl.

"(No. 11,404. November, 1923). Collected in pine forests of the Likiang Snow Range at an altitude of 9,000 to 10,000 ft. The large, fragrant flowers are white, pink, or purplish but usually pink. This species is found all over Yunnan."

59,436. Rhod. Sp.

“(No. 1,372. November, 1923).
A shrub 4 ft. high found growing on alpine slopes among limestone rocks on the Likiang Snow Range at an altitude of 13,000 to 14,000 ft. The pale, thin leaves are obovate oblong and covered beneath with yellow tomentum. The flowers are rich pink.” Herb. 8,500.

59,437. Rhod. Sp.

“(No. 10,898. November, 1923).
A shrub 3 ft. high found growing in moist regions on the alpine slopes of Londjre at an altitude of 12,000 to 13,000 ft. The leaves are elliptical, glabrous and evenly green and the flowers are a rich purplish red.”

59,438. Rhod. Sp.

“(No. 10,918. November, 1923).
A shrub 3 ft. high found in the alpine region of Tsehchung at an altitude of 11,000 ft. The elliptical obovate leaves are green above and covered beneath with deep chocolate-coloured tomentum. The flowers are dark crimson.” Herb. 9,129.

59,439. Rhod. Sp.

"(No. 10,920. November, 1923).

A shrub 6 ft. high found in the alpine region of Tsehchung. The narrow linear leaves, 5 inches long, have revolute margins and are covered beneath with wool which is thick, leathery and rufous. The flowers are white." Herb. 9,104.

59,440. Rhod. Sp.

"(No. 10,921. November, 1923).

A tree 13 to 14 ft. high, found in fir forests in the alpine region of Tsehchung at an altitude of 11,000 ft. The large oblong leaves are dark green above and covered with a deep brown wool beneath. The flowers are large and white and are on long pubescent pedicels." Herb. 9,107.

59,441. Rhod. Sp.

"(No. 10,922. November, 1923).

A shrub 1 to 2 ft. high found growing in masses in the alpine region of Tsehchung. The oval elliptical leaves are silvery white beneath and the flowers are large and orange to red." Herb. 9,281.

59,442. Rhod. Sp.

“(No. 10,923. November, 1923).
A shrub 7 ft. high from the alpine
region of Tsehchung at an altitude
of 11,000 ft. The elliptic oblong
acute leaves are dark green above and
a deep red to golden yellow beneath.
The flowers are large and a rich
pink.” Herb. 9,101.

59,443. Rhod. Sp.

“(No. 10,924. November, 1923).
A shrub 1 to 2 ft. high found growing
in rocky alpine meadows of Tseh-
chung at an altitude of 12,000 ft.
The small ovoid leaves are yellow to
red-brown beneath and the small
deep rose-pink flowers are produced
in clusters.” Herb. 9,124.

59,444. Rhod. Sp.

“(No. 10,928. November, 1923).
A shrub 1 to 2 ft. high growing in
masses from the moist alpine region
of Tsehchung at an altitude of
12,000 ft. The leaves are elliptic
and white beneath and the flowers
are medium and bright red.” Herb.
10,064.

\ 59,445. Rhod. Sp.

“(No. 10,929. November, 1923).

A shrub 6 ft. high from the slopes of the Tsehchung Mountains at an altitude of 10,000 ft. The evenly green leaves are obovoid and glabrous and the large pink flowers are borne on slender pedicels.” Herb. 9,089.

59,446. Rhod. Sp.

“(No. 10,930. November, 1923).

A shrub 3 to 4 ft. high, found growing in fir forests on the alpine slopes of Tsehchung. The oval leaves are glabrous on both sides and the flowers are a handsome pink.” Herb. 8,835.

\ 59,447. Rhod. Sp.

“(No. 10,931. November, 1923).

A tree 15 to 16 ft. high found along streams on the Londjre Mountains, south-eastern Tibet, at an altitude of 11,000 ft. The large, oblong, acute leaves are brown tomentose beneath and the flowers are rose-pink.” Herb. 8,883.1

59,448. Rhod. Sp.

“(No. 10,932. November, 1923).
A shrub 4 ft. high found growing in
the alpine region of Londjre, south-
eastern Tibet. The ovoid elliptical
leaves are dark green above and fawn-
coloured beneath and the large
crimson flowers are borne on short
pedicels.” Herb. 10,301.

59,449. Rhod. Sp.

“(No. 10,933. November, 1923).
A shrub or small tree 7 ft. high found
in fir forests of Londjre, south-
eastern Tibet, at an altitude of
12,000 ft. The large oblong acute
leaves are brown tomentose beneath
and the flowers are large and white
and are borne on slender pedicels.”
Herb. 10,262.

59,450. Rhod. Sp.

“(No. 10,934. November, 1923).
A shrub 2 ft. high, growing in masses
on open slopes in the alpine region
of Londjre, south-eastern Tibet, at
an altitude of 12,000 to 13,000 ft.
The linear elliptical leaves are white
to drab beneath and the flowers are
a yellowish red.” Herb. 10,307.

59,451. Rhod. Sp.

"(No. 10,936. November, 1923).
A shrub 3 to 4 ft. found in the
forests of Londjre, south-eastern
Tibet, at an altitude of 10,000 to
11,000 ft. The large leaves are
oblong acuminate and brown be-
neath. The flowers are rose pink."
Herb. 8,888.

59,452. Rhod. Sp.

"(No. 10,937. November, 1923).
A very handsome species 6 to 8 ft.
high growing on the slopes of the
Londjre Mountains, south-eastern
Tibet. The elliptical, deep green
leaves are glabrous on both sides and
the very large fragrant flowers, in
large umbels, are a rich blue
lavender." Herb. 8,887.

59,453. Rhod. Sp.

"(No. 10,938. November, 1923).
A shrub 2 to 3 ft. high found growing
in masses on the alpine slopes of
Londjre, south-eastern Tibet. The
leaves are elliptical and drab beneath
and the flowers are a very dark red."
Herb. 8,909. -

59,454. Rhod. Sp.

"(No. 10,939. November, 1923).

A shrub 3 to 4 ft. high found in alpine forests of Londjre, south-eastern Tibet. The oblong ovoid leaves are golden yellow and glabrous beneath; the flowers are large and a deep purplish red." Herb. 8,884.

59,455. Rhod. Sp.

"(No. 10,940. November, 1923).

A shrub 2 to 3 ft. high growing in the alpine region of Londjre, south-eastern Tibet, at an altitude of 12,000 ft. The elliptical leaves are white beneath and the flowers are yellow at the base and the lobes are red." Herb. 8,910.

59,456. Rhod. Sp.

"(No. 10,947. November, 1923).

A handsome species 3 ft. high growing in masses in the alpine region on Londjre, south-eastern Tibet. The leaves are oblong linear and drab beneath; the flowers are large and a deep carmine." Herb. 10,313. ?

59,457. Rhod. Sp.

"(No. 10,948. November, 1923)

A shrub 3 ft. high found in the alpine region of Londjre, south-eastern Tibet. The oblong leaves have brown wool beneath, and the carmine-purple flowers are produced in large clusters." Herb. 10,300.

59,458. Rhod. Sp.

"(No. 10,950. November, 1923).

A shrub 2 ft. high growing on the alpine slopes of Londjre, south-eastern Tibet. The small oval green leaves are mealy beneath and the medium-sized flowers are rich pink." Herb. 10,267.

59,459. Rhod. Sp.

"(No. 10,951. November, 1923).

A shrub 2 ft. high growing in the open moist region on the alpine slopes of Londjre, south-eastern Tibet, at an altitude of 12,000 ft. The leaves are oval, small and glabrous, and the flowers are pale yellow." Herb. 10,304.

59,460. Rhod. Sp.

"(No. 10,952. November, 1923).

A fine species 2 to 3 ft. high, growing in masses on the alpine slopes of Londjre, south-eastern Tibet, at an altitude of 12,000 ft. The elliptical, glabrous leaves are green on both sides and the flowers are large and a rich crimson." Herb. 8,881.

59,461. Rhod. Sp.

"(No. 10,965. November, 1923).

A shrub 4 ft. high, found on rocky alpine slopes on the Tschchung Mountains, Mekong Valley. The elliptical, glabrous leaves are pale beneath and the flowers are pink." Herb. 9,153. •

59,462. Rhod. Sp.

"(No. 10,966. November, 1923).

A tree 15 to 18 ft. high, growing in alpine forests on the Tschchung Mountains at an altitude of 13,000 ft. The very large obovate-oblong leaves are glossy glabrous and silvery beneath. The large flowers are a purplish red." Herb. 10,061.

59,463. Rhod. Sp.

"(No. 10,967. Tsehchung Mountains, Mekong Valley. November, 1923). A shrub 5 to 6 ft. high, growing in alpine regions at an altitude of 12,000 ft. The coriaceous leaves are wrinkled above and covered beneath with ochre yellow meal. The flowers are white with a pinkish tinge." Herb. 8,784.

59,464. Rhod. Sp.

"(No. 10,968. November, 1923). A tree 8 to 10 ft. high, found on the slopes of the Tsehchung Mountains, Mekong Valley, at an altitude of 10,000 ft. The oblong leaves are dark green above and brown beneath with prominent ribs. The flowers are pinkish white." Herb. 9,112. 7

59,465. Rhod. Sp.

"(No. 10,969. November, 1923). A rare plant 3 ft. high, found growing in the alpine region of Tsehchung, Mekong Valley, at an altitude of 13,000 ft. The leaves are small and elliptical and the flowers are deep yellow." Herb. 9,150.

\59,466. Rhod. Sp.

“(No. 10,970. November, 1923.)
A shrub 5 ft. high, growing on the
slopes of the Tsehchung Mountains,
Mekong Valley, at an altitude of
10,000 ft. The oblong, acute, reticu-
late leaves are covered beneath with
brown wool. The flowers are white
with a tinge of pink.” Herb.
9,111. ?

\59,467. Rhod. Sp.

“(No. 10,971. November, 1923).
A shrub or small tree 8 ft. high,
growing in the alpine region of
Tsehchung, Mekong Valley, at an
altitude of 12,000 ft. The elliptical
oblong acute leaves are brown-woolly
beneath and the flowers are pinkish
purple.” Herb. 8,780.

\59,468. Rhod. Sp.

“(No. 10,972. November, 1923).
A tree 8 to 10 ft. high, found at the
foot of the Tsehchung Mountains,
Mekong Valley, at an altitude of
about 8,000 ft. The oblong lanceo-
late acuminate leaves are covered
with a brown meal beneath, and the
large flowers are white with a pinkish
tinge.” Herb. 8,779.

59,469. Rhod. Sp.

“(No. 10,973. November, 1923).
A shrub 5 to 6 ft. high, growing in
fir forests in the alpine region of the
Tsehchung Mountains, Mekong
Valley, at an altitude of 12,500 ft.
The oblong acuminate leaves are
dark green above and brownish
yellow beneath. The flowers are
large and white.” Herb. 8,770.

59,470. Rhod. Sp.

“(No. 10,974. November, 1923).
A shrub 5 to 6 ft. high found in the
alpine region of Tsehchung, Mekong
Valley, at an altitude of 12,000 ft.
The elliptical ovate acute reticulate
leaves are leathery and covered be-
neath with a brown tomentose. The
flowers are purple with a pinkish
tinge.” Herb. 8,772.

59,471. Rhod. Sp.

“(No. 10,975. November, 1923).
A shrub 8 to 10 ft. high, found in the
alpine region of Tsehchung, Mekong
Valley. The oblong acute leaves are
dark green above and yellow beneath.
The flowers are white with pinkish
purple tinge.” Herb. 8,767.

59,472. Rhod. Sp.

"(No. 10,976. October, 1923).
A shrub 5 ft. high, found growing in
the alpine region of Tsehchung,
Mekong Valley, at an altitude of
11,000 ft. The leaves are coriaceous
and reticulate and pale yellow beneath.
The flowers are white." Herb.
9,113. 7

59,473. Rhod. Sp.

"(No. 10,993. October, 1923).
A very handsome spreading, prostrate
plant 1 ft. high, growing in the
alpine meadows of Tsehchung, at an
altitude of 14,000 ft. The obovate
leaves are small and glabrous and the
flowers are large and bright scarlet."
Herb. 8,788. 7

59,474. Rhod. Sp.

"(No. 10,996. October, 1923).
A shrub 4 ft. high, found in the
alpine region of Tsehchung, Mekong.
The linear elliptical leaves are rich
green and covered beneath with
brown deciduous wool. The flowers
are red with a purplish tinge."
Herb. 9,132.

59,475. Rhod. Sp.

"(No. 10,998. October, 1923).

A shrub 4 ft. high, growing in the rocky alpine region of Tsehchung at an altitude of 13,000 ft. The thick, linear, rich green leaves, with revolute margins, have a deep red wool beneath. The flowers are pink." Herb. 9,134.

59,476. Rhod. Sp.

"(No. 11,000. October, 1923).

A shrub 6 ft. high, found on the slopes of the Tsehchung Mountains at an altitude of 10,000 ft. The leaves are oval and glabrous and the flowers are shaded from lavender to a bluish purple." Herb. 9,114.

59,477. Rhod. Sp.

"(No. 11,004. October, 1923).

A handsome species 14 to 15 ft. high growing in the alpine forests of Tsehchung at an altitude of 11,000 ft. The linear oblong, acute leaves are brown beneath, and the very large, rich peach flowers are produced in large umbels." Herb. 9,109.

\ 59,478. Rhod. Sp.

"(No. 11,005. October, 1923).
A very attractive species 1 to 3 ft.
high growing in the alpine region
of Tsehchung at an altitude of
13,000 ft. The leaves, with ciliate
margins, are small, oval and green.
The flowers are large and shaded
from deep rich purple to lavender.
The calyxes are carmine." Herb.
8,822.)

\ 59,479. Rhod. Sp.

"(No. 11,006. October, 1923).
A shrub 1 to 2 ft. high found in the
alpine region of Tsehchung at an
altitude of 13,000 ft. The oval,
rich green leaves are bluish beneath
and the flowers are a rich yellow."
Herb. 9,116.

\ 59,480. Rhod. Sp.

"(No. 11,007. October, 1923).
A very handsome tree 15 to 18 ft.
high growing on the alpine slopes of
Tsehchung. The very large, glossy,
obovate oblong leaves are silvery
grey beneath, and the flowers are
shaded from white to pink." Herb.
9,097.)

59,481. Rhod. Sp.

“(No. 11,008. October, 1923).
A shrub or small tree 8 to 10 ft. high
found in the alpine region of Tseh-
chung at an altitude of 13,000 ft.
The leaves, large and obovate oblong,
are subsessile and silver-coloured
beneath. The purple flowers tinged
with pink are produced in large
umbels.” Herb. 8,830.?

59,482. Rhod. Sp.

“(No. 11,010. October, 1923).
A shrub 2 to 3 ft. high found in the
rocky alpine region of Tsehchung at
an altitude of 13,000 ft. The oval,
dark green leaves are pale brown
beneath, the flowers are a rich
purple and the calyx green.” Herb.
9,151.?

59,483. Rhod. Sp.

“(No. 11,011. October, 1923).
A shrub 1½ ft. high found growing in
masses in the alpine region of Tseh-
chung at an altitude of 13,000 ft.
The elliptical leaves are drab-coloured
beneath and the flowers are rich red.”
Herb. 11,011. ?

59,484. Rhod. Sp.

"(No. 11,012. October, 1923). A shrub 1 to 2 ft. high growing on the alpine slopes of Tsehchung at an altitude of 13,000 ft. The oval leaves are green above and paler beneath, and the petioles are covered with brown hairs. The flowers are large, salver-shaped, and a deep purplish blue, with large carmine calyxes." Herb. 9,282.]

59,485. Rhod. Sp.

"(No. 11,019. October, 1923). A shrub 1 to 2 ft. high found on rocky alpine slopes of the Tsehchung Mountains at an altitude of 13,000 ft. The leaves are small, oval and dark brown beneath; the handsome delicate pink flowers are tubular." Herb. 9,141.

59,486. Rhod. Sp.

"(No. 11,020. October, 1923). A shrub 5 ft. high found growing in the alpine region of Tsehchung at an altitude of 13,000 ft. The linear lanceolate leaves are rufous red and wooly beneath. The white flowers are spotted dark purple." Herb. 9,142.

\59,487. Rhod. Sp.

"(No. 11,022. October, 1923).

A striking species 2 ft. high growing in the alpine region of the Sila Pass, Mekong-Salwin Divide, at an altitude of 14,000 ft. The oval leaves are chalky white beneath and the very large flowers are deep crimson." Herb. 9,211.

\59,488. Rhod. Sp.

"(No. 11,025. October, 1923).

A shrub 4 to 5 ft. high, found growing in the Sila Pass, Mekong-Salwin Divide, at an altitude of 13,000 ft. The green, obovate leaves are golden yellow beneath and the rich golden yellow flowers are very large." Herb. 8,739.

\59,489. Rhod. Sp.

"(No. 11,033. October, 1923).

A prostrate plant, a few inches high, growing in the Sila Pass at an altitude of 13,000 ft. The small, oval glabrous leaves are dark green above and deep purple beneath. The large flowers are rich carmine." Herb. 9,234.

\ 59,490. Rhod. Sp.

"(No. 11,035. October, 1923).
A shrub 3 to 4 ft. high found in the
Sila Pass at an altitude of 12,000 ft.
The obovate leaves are golden yellow
to pale green beneath, and the very
large, showy yellow flowers have
red lobes." Herb. 8,750.

\ 59,491. Rhod. Sp.

"(No. 11,036. October, 1923).
A shrub 1 to 2 ft. high, found in the
Sila Pass, Mekong-Salwin Divide, at
an altitude of 12,000 ft. The oval
leaves, prominently ribbed, are green
on both sides and the flowers are a
deep purplish red." Herb. 9,228.

\ 59,492. Rhod. Sp.

"(No. 11,037. October, 1923).
A shrub 3 to 4 ft. high, found in the
Sila Pass at an altitude of 13,000 ft.
The leaves are oblong, glabrous on
both sides and pale beneath; the
flowers are pink and very large."
Herb. 8,751.

\59,493. Rhod. Sp.

"(No. 11,039. October, 1923).
A shrub 2 ft. high, found in the Sila
Pass, Mekong-Salwin Divide, at an
altitude of 13,000 ft. The small,
elliptical leaves are drab-coloured
beneath, and the broadly campanulate
flowers are deep carmine." Herb.
9,215.

\59,494. Rhod. Sp.

"(No. 11,040. October, 1923).
A shrub 5 ft. high, found growing in
the Sila Pass, Mekong-Salwin Divide,
at an altitude of 12,000 ft. The
obovate leaves are golden yellow
beneath and the large flowers are a
pinkish purple." Herb. 9,201.7

\59,495. Rhod. Sp.

"(No. 11,044. October, 1923).
A tree 15 ft. high, found growing on
the slopes of the Sila Pass, Mekong-
Salwin Divide, at an altitude of
11,000 ft. The oblong acute leaves
are brown-tomentose beneath, and
the flowers are small and pink."
Fl. No. 9,222. 7

\59,496. Rhod. Sp.

"(No. 11,046. October, 1923).
A shrub 2 to 3 ft. high, found growing
in masses in the Sila Pass, Mekong-
Salwin Divide, at an altitude of
13,000 ft. The linear elliptical leaves
are drab-grey beneath and the flowers
are a very rich carmine." Fl. No.
9,221.

\59,497. Rhod. Sp.

"(No. 11,048. October, 1923).
A shrub 5 to 6 ft. high, found in the
Sila Pass, Mekong-Salwin Divide, at
an altitude of 13,000 ft. The oblong,
obovate leaves are dark to golden
brown beneath. The flowers are a
rich reddish purple." Fl. No. 8,760.?

\59,498. Rhod. Sp.

"(No. 11,049. October, 1923).
A shrub 2 ft. high, found growing in
masses in the Sila Pass, Mekong-
Salwin Divide, at an altitude of
13,000 ft. The elliptical obovate
leaves are greyish brown beneath, and
the flowers are deep carmine." Fl.
No. 9,210.

\59,499. Rhod. Sp.

"(No. 11,051. October, 1923).

A shrub 5 ft. high, found in the Sila Pass, Mekong-Salwin Divide, at an altitude of 12,000 ft. The leaves are small and obovate and the flowers are yellow with a pinkish tinge." Fl. No. 9,208.

\59,500. Rhod. Sp.

"(No. 11,052. October, 1923).

A shrub 2 ft. high, found growing in masses in the Sila Pass at an altitude of 13,000 ft. The elliptical elongate leaves are pale brown beneath; the flowers are large and a reddish purple." Fl. No. 9,206.

\59,501. Rhod. Sp.

"(No. 11,053. October, 1923).

A shrub 5 ft. high, found in the Sila Pass at an altitude of 12,000 ft. The small, obovate leaves are golden yellow beneath and the flowers are large and a purplish red." Fl. No. 9,229.

59,502. Rhod. Sp.

"(No. 11,058. October, 1923). A shrub 6 ft. high, found growing in the Sila Pass, Mekong-Salwin Divide, at an altitude of 13,000 ft. The glabrous, oval leaves are green on both sides; the flowers are cream-coloured with a pinkish tinge." Fl. No. 9,218.

59,503. Rhod. Sp.

"(No. 11,060. October, 1923). A shrub 6 ft. high, found in the Sila Pass, Mekong-Salwin Divide, at an altitude of 12,000 ft. The obovate-oblong leaves are golden yellow to pale green beneath and the flowers are small and a purplish pink." Fl. No. 9,202.

59,504. Rhod. Sp.

"(No. 11,062. October, 1923). A shrub 6 ft. high, found in the Sila Pass, Mekong-Salwin Divide. The glabrous, oval leaves are pale green beneath; the flowers are very large and a pale pink." Fl. No. 9,239.

59,505. Rhod. Sp.

"(No. 11,067. October, 1923).
A shrub 5 ft. high, found growing in
the Sila Pass, Mekong-Salwin Divide,
at an altitude of 12,000 ft. The
glabrous, oval leaves are green on
both sides; the flowers are yellow."
Fl. No. 9,236.

59,506. Rhod. Sp.

"(No. 11,071. October, 1923).
A tree 12 to 20 ft. high, found on the
lower slopes of the Tseku Mountains
at an altitude of 11,000 ft. The
oblong acute leaves are dark brown
tuberculate beneath; the flowers are
lavender spotted with purple." Fl.
No. 8,716.

59,507. Rhod. Sp.

"(No. 11,075. October, 1923).
A small tree 8 to 10 ft. high, found on
the slopes of the Tseku Mountains at
an altitude of 10,000 ft. The long,
lanceolate leaves are dark ashy grey
beneath; the flowers are deep pink."
Fl. No. 8,714. ?

59,508. Rhod. Sp.

“(No. 11,079. October, 1923).

A shrub 3 ft. high, found in the alpine region of Tseku at an altitude of 12,000 ft. The leaves are small, oval and glabrous and the small, yellow flowers are produced on long pedicels.” Fl. No. 8,723.

59,509. Rhod. Sp.

“(No. 11,086. November, 1923).

A shrub 1 to 2 ft. high, found in alpine meadows of the Peima Mountains, Mekong-Yangtze Divide, at an altitude of 14,000 to 15,000 ft. The very small, oval leaves are brown tomentose beneath; the flowers are a bluish purple.” Fl. No. 9,248.

59,510. Rhod. Sp.

“(No. 11,087. November, 1923).

A shrub 5 ft. high found in the alpine region of the Peima Mountains, Mekong-Yangtze Divide, at an altitude of 15,000 ft. The oval, acute leaves are brown beneath; flowers unknown.” Fl. No. 9,942.

59,511. Rhod. Sp.

“(No. 11,090. November, 1923).

A shrub 6 ft. high, found in the alpine region of the Peima Mountains, Mekong-Yangtze Divide. The oval, acute leaves are brown tomentose beneath; the flowers are pink with a purple tinge and spotted dark purple.” Fl. No. 9,242.

59,512. Rhod. Sp.

“(No. 11,095. November, 1923).

A shrub 4 ft. high, found in the alpine region of the Peima Mountains at an altitude of 14,000 ft. The oval leaves are green on both sides and the flowers are purple.” Fl. No. 8,853.

59,513. Rhod. Sp.

“(No. 11,098. November, 1923).

A shrub 1 ft. high, found in the high alpine region of the Peima Mountains at an altitude of 14,000 ft. The acute elliptical leaves, half an inch long, are a silky brown beneath. The flowers are deep indigo shading to lighter blue.” Fl. No. 9,268.

\ 59,514. Rhod. Sp.

"(No. 11,100. November, 1923).
A shrub 4 to 5 ft. high, found in the
Peima Mountains at an altitude of
13,000 ft. The oval acute leaves are
brown tomentose beneath and the
flowers are purple but paler towards
the base." Fl. No. 8,858.

\ 59,515. Rhod. Sp.

"(No. 11,101. November, 1923).
A tree 8 to 10 ft. high found in the
Peima Mountains, Mekong-Yangtze
Divide, at an altitude of 14,000 ft.
The leaves are acute elliptical at
both ends and brown tomentose
beneath. The flowers are white."
Fl. No. 9,973.

\ 59,516. Rhod. Sp.

"(No. 11,102. November, 1923).
A shrub 4 to 5 ft. high, similar to
No. 11,101 (S.P.I. No. 59,515) but
having pink flowers; found in the
Peima Mountains at an altitude of
14,000 ft." Fl. No. 8,856.

\ 59,517. Rhod. Sp.

"(No. 11,103. November, 1923).

A shrub 3 ft. high, found in the Peima Mountains at an altitude of 13,000 to 14,000 ft. The ovate elliptical acute leaves are brown tomentose beneath; the flowers shade from white to purple, spotted deep purple." Fl. No. 8,852.

\ 59,518. Rhod. Sp.

"(No. 11,104. November, 1923).

A shrub 5 to 6 ft. high, found in the Peima Mountains at an altitude of 13,000 ft. The elliptical oblong leaves are fawn-coloured tomentose beneath and the flowers are white with a pinkish tinge." Fl. No. 8,862.

\ 59,519. Rhod. Sp.

"(No. 11,105. November, 1923).

A shrub 10 ft. high, found in the alpine region of the Peima Mountains, Mekong-Yangtze Divide, at an altitude of 14,000 ft. The linear oblong, rich green leaves are pale brown tomentose beneath and the flowers are white." Fl. No. 9,273.

59,520. Rhod. Sp.

“(No. 11,107. November, 1923).
A shrub 5 to 6 ft. high, found in the
Peima Mountains at an altitude of
14,000 ft. Leaves the same as
No. 11,106 (S.P.I. No. 59,135) and
the flowers are pink.” Fl. No. 8,854.

59,521. Rhod. Sp.

“(No. 11,108. November, 1923).
A shrub 10 ft. high, found in the
Peima Mountains at an altitude of
13,000 ft. The oval elliptical leaves
are brown tomentose beneath and the
flowers are white spotted with
purple.” Fl. No. 9,267.

59,522. Rhod. Sp.

“(No. 11,113. November, 1923).
A shrub 5 ft. high, found in the
Peima Mountains, Mekong-Yangtze
Divide, at an altitude of 13,000 ft.
The linear lanceolate, leathery leaves
are deep rufous tomentose beneath.
The flowers are large and white.”
Fl. No. 8,925.

59,523. Rhod. Sp.

"(No. 11,114. November, 1923).

A shrub 5 to 10 ft. high found on the slopes of the Peima Mountains at an altitude of 13,000 ft. The ovate leaves, on long petioles, are subcordate at the base and the large, bright yellow flowers are produced in large umbels." Fl. No. 9,252.

59,524. Rhod. Sp.

"(No. 11,115. November, 1923).

A shrub 3 to 4 ft. high found in the Peima Mountains at an altitude of 14,000 ft. The long, linear-lanceolate, leathery leaves are deep green above and densely covered beneath with rufous wool. The flowers are white." Fl. No. 9,939.

59,525. Rhod. Sp.

"(No. 11,138. November, 1923).

A shrub 6 to 8 ft. high found in the alpine meadows of Litiping at an altitude of 12,000 ft. The oblong glabrous acute leaves are green on both sides, and the flowers are deep red." Fl. No. 8,703. 7

59,526. Rhod. Sp.

"(No. 11,145. November, 1923).
A small tree 8 to 10 ft. high found in
the mountains of Anwa (Mekong
Valley). The leaves are large, obo-
vate and cordate; the flowers are
rich white." Fl. No. 8,956.

\ 59,527. Rhod. Sp.

"(No. 11,149. November, 1923).
A shrub 6 ft. high found in the
Moting Mountains, north-east of
Atuntze, at an altitude of 14,000 ft.
The oblong lanceolate leaves are
brown tomentose beneath, and the
flowers are pale pink spotted with
purple." Fl. No. 9,326.

\ 59,528. Rhod. Sp.

"(No. 11,150. November, 1923).
A shrub 5 ft. high found in the
Moting Mountains, north-east of
Atuntze. The ovate-oblong leaves
are densely matted beneath and pale
yellow tomentose; the flowers are
rich purplish red spotted with dark
purple." Fl. No. 9,317.

\ 59,529. Rhod. Sp.

"(No. 11,151. Moting Mountains, Mekong-Yangtze Divide. November, 1923). A small tree 8 ft. high found growing at an altitude of 14,000 ft. The oblong leaves are densely matted beneath with pale tomentum; the flowers are pinkish white."

59,530. Rhod. Sp.

"(No. 11,152. Moting Mountains, Mekong-Yangtze Divide. November, 1923). A shrub 5 ft. high found at an altitude of 13,000 ft. The leaves are ovate, green and glabrous, and the large, rich yellow flowers are borne in large umbels." Fl. No. 9,320.

\ 59,531. Rhod. Sp.

"(No. 11,153. Moting Mountains, Mekong-Yangtze Divide. November, 1923). A tree 13 to 15 ft. high with large, oblong leaves, densely matted beneath with pale yellow glossy tomentum. The flowers are pink." Fl. No. 9,313.

59,532. Rhod. Sp.

“(No. 11,155. Champutong, Salwin-Irrawaddy Divide. November, 1923). A shrub 5 ft. high growing at an altitude of 12,000 ft. The obovate oblong leaves have a peculiar brown flaky tomentose. The flowers are red.” Fl. No. 10,104.

59,533. Rhod. Sp.

“(No. 11,156. Champutong, Salwin-Irrawaddy Divide. October, 1923). The obovate oblong, dark green leaves are chocolate brown tomentose beneath. The very large flowers are rich carmine.” Fl. No. 10,211.

59,534. Rhod. Sp.

“(No. 11,159. Champutong, Mount Kenichunpu. October, 1923). A tree 12 to 15 ft. high growing at an altitude of 12,000 ft. The large, obovate-oblong rounded leaves are covered beneath with tomentum shaded from fawn to red. The flowers are yellowish red.” Fl. No. 10,128.

59,535. Rhod. Sp.

"(No. 11,160. October, 1923). A shrub 6 inches high found in the alpine region of Mount Kenichunpu, Salwin-Irrawaddy Divide, at an altitude of 14,000 ft. The small, elliptical, glabrous leaves are glaucous beneath, and the flowers, drooping on long erect pedicels, are red with a glaucous tinge." Fl. No. 10,176.

59,536. Rhod. Sp.

"(No. 11,162. Mount Kenichunpu, Salwin-Irrawaddy Divide. November, 1923). A shrub 5 to 6 ft. high found at an altitude of 13,000 ft. The obovate-oblong, green leaves are dark rough squamose-tomentose beneath. The flowers are red." Fl. No. 10,142.

59,537. Rhod. Sp.

"(No. 11,166. October, 1923). A small tree 6 to 8 ft. high found on the slopes of Mount Kenichunpu, Salwin-Irrawaddy Divide, at an altitude of 11,000 ft. The large, oblong elliptical leaves are brownish, glabrous and punctate beneath. The flowers are white." Fl. No. 11,166.

59,538. Rhod. Sp.

"(No. 11,168. Champutong, Mount Kenichunpu, Salwin - Irrawaddy Divide. October, 1923). A tree 15 ft. high found at an altitude of 12,000 ft. The large, oblong, pale brown leaves are thinly tomentose beneath. The flowers are red." Fl. No. 10,214. 7

59,539. Rhod. Sp.

"(No. 11,170. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 3 to 4 ft. high found at an altitude of 13,000 ft. The small, spatulate leaves, greenish beneath, have brown squamosely tomentose veins. Flowers orange red." Fl. No. 10,257.

59,540. Rhod. Sp.

"(No. 11,172. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 2 to 3 ft. high found at an altitude of 13,000 ft. The elliptical leaves, glaucous beneath, are tuberculate and the flowers are small and yellow." Fl. No. 10,194.

\59,541. Rhod. Sp.

“(No. 11,174. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A tree 18 ft. high, with oblong, glabrous leaves, acute at both ends and silvery to golden yellow beneath. The flowers are white and fragrant.” Fl. No. 10,127.

\ 59,542. Rhod. Sp.

“(No. 11,184. October, 1923). A shrub 5 ft. high found in Kenichunpu, Salwin-Irrawaddy Divide. The obovate elliptical leaves have hirsute bases and petioles and are chocolate coloured tomentose beneath. The flowers are red.” Fl. No. 10,131.

\59,543. Rhod. Sp.

“(No. 11,185. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A very robust plant 10 ft. high with obovate-oval oblong, large leaves which are rich brown tomentose beneath and dark green above. The flowers are red.” Fl. No. 10,155.

59,544. Rhod. Sp.

"(No. 11,187. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A tree 16 to 20 ft. high found at an altitude of 13,000 ft. The large, obovate-oblong, dark-green leaves are deep reddish brown tomentose beneath and the flowers are red." Fl. No. 10,221.

59,545. Rhod. Sp.

"(No. 11,194. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A small tree 8 ft. high found at an altitude of 13,000 ft. The oval-oblong acute leaves are yellowish brown to olive green pubescent beneath and have yellow hirsute petioles. The flowers are pink." Fl. No. 10,146.

59,546. Rhod. Sp.

"(No. 11,199. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 2 ft. high growing at an altitude of 13,000 ft. The spatulate, pubescent leaves are drab-coloured beneath and the flowers are a yellowish red." Fl. No. 10,099.

59,547. Rhod. Sp.

“(No. 11,200. October, 1923). A tree 18 to 20 ft. high found in the forests of Mount Kenichunpu, Salwin-Irrawaddy Divide, at an altitude of 11,000 ft. The leaves are oblong acute, green and glabrous and the red flowers are produced on long pedicels.” Fl. No. 10,138.

59,548. Rhod. Sp.

“(No. 11,204. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 4 to 5 ft. high found at an altitude of 13,000 ft. The ovate obovate leaves are dark brown, densely squamately tomentose beneath. The flowers are red.” Fl. No. 10,121.

59,549. Rhod. Sp.

“(No. 11,206. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923.) A shrub 2 ft. high growing at an altitude of 13,000 ft. The oval-elliptical leaves are chocolate brown tomentose beneath and the flowers are an orange red.” Fl. No. 10,173.

\59,550. Rhod. Sp.

"(No. 11,207. October, 1923). A tree 16 to 18 ft. high growing on the slopes of Mount Kenichunpu, Salwin-Irrawaddy Divide, at an altitude of 12,000 ft. The large, obovate oblong leaves are deep brown to carmine tomentose beneath and the flowers are red." Fl. No. 10,119.

59,551. Rhod. Sp.

"(No. 11,209. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 7 ft. high found at an altitude of 13,000 ft. The ovate leaves, subcordate at the base, are glaucous and green beneath."

\59,552. Rhod. Sp.

"(No. 11,210. Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 3½ ft. high growing at an altitude of 13,000 ft. The oval leaves are densely matted and brown beneath and the flowers are yellow."

59,553. Rhod. Sp.

"(No. 11,212. Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 2 ft. high found at an altitude of 13,000 ft. The leaves are dark purplish grey tomentose beneath."

59,554. Rhod. Sp.

"(No. 11,213. October, 1923). A shrub 3 ft. high found on Mount Kenichunpu, Salwin - Irrawaddy Divide. The oval-oblong leaves are faintly brown tomentose and subglabrous beneath and the petioles are hirsute."

59,555. Rhod. Sp.

"(No. 11,216. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 3 ft. high found at an altitude of 13,000 ft. The elliptical ovate leaves are pale glaucous brown beneath and the flowers are red."

\59,556. Rhod. Sp.

“(No. 11,217. October, 1923). A shrub or small tree 15 ft. high, found on Mount Kenichunpu, Salwin-Irrawaddy Divide. The oblong acute glabrous leaves are green on both sides.”

59,557. Rhod. Sp.

“(No. 11,222. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A shrub 6 ft. high found on rocky slopes at an altitude of 13,000 ft. The large, oblong leaves are greenish grey and glabrous beneath and the veins are rufous tomentose. The flowers are white.”

\59,558. Rhod. Sp.

“(No. 11,223. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923.) A shrub or small tree 15 ft. high found at an altitude of 13,000 ft. The large leaves are covered with a brown wool underneath.”

\ 59,559. Rhod. Sp.

"(No. 11,225. Mount Kenichunpu, Salwin-Irrawaddy Divide. October, 1923). A tree or shrub 6 to 8 ft. high found at an altitude of 13,000 ft. The oblong leaves are yellowish brown floccose beneath."

\ 59,560. Rhod. Sp.

"(No. 11,227. October, 1923). A shrub 4 ft. high, growing on Mount Kenichunpu, Salwin - Irrawaddy Divide, at an altitude of 13,000 ft. The large, obovate leaves are chocolate coloured tomentose beneath and the flowers are red."

\ 59,561. Rhod. Sp.

"(No. 11,233. October, 1923). A tree 8 to 10 ft. high, growing on the slopes of Mount Kenichunpu, Salwin-Irrawaddy Divide, at an altitude of 11,000 ft. The large, leathery leaves, prominently veined, are deeply impressed above and brownish grey and punctate beneath. The very large flowers 3 inches in diameter, are yellow to cream coloured. The fruits are enormous." Fl. No. 10,130.⁷

\ 59,562. Rhod. Sp.

"(No. 11,240. October, 1923).
A shrub or small tree 6 ft. high,
growing in Sila, among firs, at an
altitude of 13,000 ft. The oblong
acute leaves are greyish brown tomen-
tose beneath."

\ 59,563. Rhod. Sp.

"(No. 11,242. October, 1923).
A tree 20 ft. high found on Mount
Lautchün, west of Likiang, at an
altitude of 11,000 ft. The large,
oblong leaves are densely covered
with brown wool beneath. The large
flowers are white."

59,564. Rhod. Sp.

"(No. 11,243. Mount Lautchün.
October, 1923). A shrub 1½ ft. high
found at an altitude of 12,000 ft.
The small, elliptical leaves are punc-
tate beneath and the flowers are
small and a deep indigo blue."

59,565. Rhod. Sp.

“(No. 11,244. Mount Lautchün. October, 1923). A tree 24 ft. high found in fir forests at an altitude of 11,000 ft. The oblong leaves are covered with a brown wool beneath and the flowers are large and white.” Fl. No. 8,394.

59,566. Rhod. Sp.

“(No. 11,246. Mount Lautchün. October, 1923). A tree 10 ft. high found in fir forests at an altitude of 12,000 ft. The elliptical acute leaves are yellow brown tomentose beneath. The flowers are white.”

59,567. Rhod. Sp.

“(No. 11,247. Mount Lautchün. October, 1923). A shrub 5 to 6 ft. high found at an altitude of 12,000 ft. The leaves are obovate, subcordate and glabrous and the flowers are cream coloured to yellow with a pinkish tinge.” Fl. No. 9,585.

59,568. Rhod. Sp.

"(No. 11,248. Mount Lautchün. October, 1923). A shrub 5 ft. high found in fir forests at an altitude of 12,000 ft. The oblong acute leaves are green and glabrous on both sides and the flowers are pink."

59,569. Rhod. Sp.

"(No. 11,249. Mount Lautchün. October, 1923). A shrub 1 to 2 ft. high found at an altitude of 13,000 ft., having very small, elliptical leaves, brown tomentose beneath and small, deep blue purple flowers."

\ 59,570. Rhod. Sp.

"(No. 11,250. October, 1923). A shrub 5 ft. high found in fir forests on Mount Lautchün at an altitude of 12,000 ft. The linear lanceolate leaves are deep rufous woolly beneath and the flowers are pink spotted with purple, making them very handsome." Fl. No. 8,422.

\ 59,571. Rhod. Sp.

“(No. 11,251. October, 1923).
A shrub 4 ft. high found in the
alpine region of Mount Lautchün at
an altitude of 12,000 ft. The elliptical,
dark-green leaves are reticulate above
and rufous woolly beneath. The
flowers are pink.” Fl. No. 8,400.

\ 59,572. Rhod. Sp.

“(No. 11,253. October, 1923).
A shrub 8 ft. high growing on Mount
Lautchün at an altitude of 13,000 ft.
The small linear elliptical leaves are
deeply rufous beneath and the flowers
are white.”

\ 59,573. Rhod. Sp.

“(No. 11,255. Mount Lautchün.
October, 1923). A shrub or tree
18 ft. high growing at an altitude of
12,000 ft. The large oval, subcordate
leaves are densely matted with brown
wool and the flowers are white to
pink.” Fl. No. 8,381.

59,574. Rhod. Sp.

"(No. 11,257. October, 1923).
A tree 15 to 18 ft. high found in mixed forests on the slopes of Mount Lautchün at an altitude of 10,000 ft. The large oblong, glabrous leaves are pale greyish green beneath. The flowers are red to purple."

59,575. Rhod. Sp.

"(No. 11,261. October, 1923).
A shrub 5 ft. high growing on the slopes of Mount Lautchün at an altitude of 10,000 ft. The leaves are linear oblong, and are covered beneath with a deep rufous wool. The flowers are pink."

59,576. Rhod. Sp.

"(No. 11,262. October, 1923).
A shrub 3 ft. high growing at an altitude of 10,000 ft. in fir forests on Mount Lautchün. The leaves are small oval and glabrous and greyish purple beneath. The flowers are pink."

\59,577. Rhod. Sp.

“(No. 11,264. October, 1923).
A handsome species 3 ft. high
growing at the foot of Mount
Lautchün at an altitude of 8,000 to
9,000 ft. The small elliptical oval
leaves are pale pink to white beneath
and the flowers are pink.”

\59,578. Rhod. Sp.

“(No. 11,265. October, 1923).
A shrub 2 to 3 ft. high growing at
the foot of Mount Lautchün at an
altitude of 8,000 to 9,000 ft. The
oval leaves, white beneath are punc-
tate and black. The large white
flowers are very striking.” Fl. No.
8,404.

\59,579. Rhod. Sp.

“(No. 11,266. October, 1923).
A shrub 6 ft. high growing on the
slopes of Mount Lautchün at an
altitude of 9,000 ft. The leaves are
oval acute and coriaceous, pale green
and glabrous on both sides and the
flowers are large and pure white
spotted with purple.” Fl. No. 8,392.

59,580. Rhod. Sp.

"(No. 11,268. October, 1923).
A shrub 4 ft. high growing at the
foot of Mount Lautchün at an
altitude of 8,000 ft. The small oval
acute leaves are glaucous and glabrous
beneath and the flowers are white."
Fl. No. 9,596.

\ 59,581. Rhod. Sp.

"(No. 11,273. October, 1923).
A tree 25 ft. high found among rocks
in the alpine region of Mount Shensi
at an altitude of 10,000 ft. The
oblong acute leaves are glaucous
and glabrous on both sides; the
flowers are white." Fl. No. 8,430.

\ 59,582. Rhod. Sp.

"(No. 11,274. October, 1923).
A tree 15 to 18 ft. high growing in
mixed forests on Mount Shensi at
an altitude of 10,000 ft. The oblong
acute leaves are coriaceous, glaucous
and glabrous and have undulate
margins. The flowers are white."
Fl. No. 9,505.

\ 59,583. Rhod. Sp.

"(No. 11,277. October, 1923).

An exceedingly handsome species 2 to 3 ft. high found among limestone boulders on Mount Shensi at an altitude of 13,000 ft. The oval acute leaves have impressed veins above and are densely matted beneath with rough cottony tomentose. The flowers are very large and pink." Fl. No. 8,426.

59,584. Rhod. Sp.

"(No. 11,279. October, 1923).

A tree 10 ft. high growing, on the slopes of Mount Shensi, at an altitude of 10,000 ft. The oblong acute leaves are glabrous and pale brownish beneath and the flowers are red."

59,585. Rhod. Sp.

"(No. 11,281. October, 1923).

A shrub 4 ft. high growing among rocks at an altitude of 9,000 ft. in Labako. The leaves, lanceolate-oval and acute at both ends, are glabrous and glaucous beneath. The flowers are large and white spotted with purple." Fl. No. 8,437.

\ 59,586. Rhod. Sp.

"(No. 11,282. October, 1923).
A shrub 8 ft. high growing among
rocks in forests on Labako at an
altitude of 9,000 ft. The oblong
acute, dull-green leaves, pale brownish
green beneath are strongly veined."

59,587. Rhod. Sp.

"(No. 11,284. October, 1923).
A shrub 3 ft. high found in the
alpine meadows of Labako at an
altitude of 14,000 ft. The small
elliptical leaves are dotted with brown
beneath and the flowers are lavender
blue." Fl. No. 9,523.

\ 59,588. Rhod. Sp.

"(No. 11,286. October, 1923).
A tree 15 ft. high found in fir forests
on the mountains of Labako at an
altitude of 12,000 ft. The obovate-
oblong leaves are densely covered
beneath with brown, rough tomentum
and the flowers are large and pink."

59,589. Rhod. Sp.

"(No. 11,292. October, 1923).

An exceedingly handsome species growing 6 to 8 ft. high among rocks in the alpine region of Labako at an altitude of 13,000 ft. The narrow linear, needle-shaped leaves are covered beneath with deep red wool. The flowers are pink spotted with purple." Fl. No. 8,446.

59,590. Rhod. Sp.

"(No. 11,293. Labako. October, 1923). A shrub 6 ft. high found in the alpine region at an altitude of 13,000 ft. The leaves are linear lanceolate and needle-shaped and are covered beneath with a rufous wool. The flowers are white."

59,591. Rhod. Sp.

"(No. 11,298. October, 1923). A shrub 5 ft. high found in the alpine region of Labako at an altitude of 9,000 ft. The orbicular-oval, cordate leaves are glaucous-purplish beneath and the flowers are red."

59,592. Rhod. Sp.

"(No. 11,299. Labako. October, 1923). A shrub 4 to 5 ft. high found along stream beds in mixed forests at an altitude of 10,000 ft. The narrow elliptical leaves are pale green above and pale grey-green beneath. The flowers are a handsome yellow." Fl. No. 8,474.

59,593. Rhod. Sp.

"(No. 11,300. October, 1923). A shrub 7 to 8 ft. high found on the slopes in the forests of Mount Kintze at an altitude of 10,000 ft. The elliptical acute leaves are brownish green and glabrous beneath. The flowers are purple." Fl. No. 9,511.

59,594. Rhod. Sp.

"(No. 11,302. October, 1923). A shrub 7 to 8 ft. high found on the alpine slopes of Mount Kintze at an altitude of 13,000 ft. The narrow linear leaves are rufous woolly beneath and the flowers are white." Fl. No. 9,499.

59,595. Rhod. Sp.

“(No. 11,309. October, 1923).
A shrub 6 ft. high growing on the
rocky alpine slopes of Mount Kintze
at an altitude of 13,000 ft. The
elliptical acute leaves are densely
covered with rufous wool beneath
and the flowers are white.” Fl. No.
9,478.

59,596. Rhod. Sp.

“(No. 11,317. October, 1923).
A shrub 6 to 8 ft. high found in the
alpine meadows of Litiping, Mekong-
Yangtze Divide. The rich green
leaves are oval elliptical acute at
both ends. The flowers are lavender.”
Fl. No. 8,702.

59,597. Rhod. Sp.

“(No. 11,318. October, 1923).
A shrub 3 ft. high growing in the
swampy alpine meadows of Litiping
at an altitude of 12,000 ft. The
elliptical leaves are covered beneath
with a bronze-coloured pubescence.
The flowers are a deep bluish purple.”
Fl. No. 9,194.

59,598. Rhod. Sp.

"(No. 11,319. October, 1923.)
A shrub 1 to 2 ft. high growing in
the swampy alpine meadows of
Litiping at an altitude of 12,000 ft.
The very small, oval-elliptical leaves
are bronze-coloured tomentose be-
neath and the flowers are a rich blue."

\ 59,599. Rhod. Sp.

"(No. 11,328. Peima Mountains.
November, 1923). A shrub 3 to 4 ft.
high found at an altitude of 13,000 ft.
The oval, glabrous leaves, rounded at
both ends are pale green beneath
and the flowers are pinkish white
with deep purple markings." Fl. No.
9,749. 7

\ 59,600. Rhod. Sp.

"(No. 11,329. November, 1923).
A shrub 7 to 8 ft. high found on the
alpine slopes of the Peima Mountains
at an altitude of 13,000 ft. The oval
elliptical leaves are pale or dark
brown, soft tomentose beneath."

\59,601. Rhod. Sp.

"(No. 11,331. Atuntze Mountains. November, 1923). A shrub 5 to 6 ft. high found at an altitude of 11,500 ft. The oval glabrous leaves are pale yellow beneath. Flowers unknown." Fl. No. 10,359. 7

\59,602. Rhod. Sp.

"(No. 11,333. November, 1923). A shrub 8 to 10 ft. high growing on the alpine slopes of Mount Peima at an altitude of 15,000 ft. The large ovate-oblong leaves are a rich golden-brown, soft tomentose beneath."

\59,603. Rhod. Sp.

"(No. 11,334. November, 1923). A tree 10 to 15 ft. high found in the high passes east of Atuntze, Mount Moting, at an altitude of 13,000 ft. The very large oblong acute leaves are pale silvery to pale brown beneath."

59,604. Rhod. Sp.

"(No. 11,336. Mount Moting. November, 1923). A shrub 4 ft. high growing at an altitude of 14,000 ft. The oblong leaves with the margins folded inward are pale brown farinaceous tomentose beneath."

59,605. Rhod. Sp.

"(No. 11,337. November, 1923). A shrub 6 to 10 ft. high found in the passes of Mount Moting at an altitude of 14,000 ft. The large oblong leaves, acute at both ends, have deciduous, rich brown tomentose beneath."

59,606. Rhod. Sp.

"(No. 11,338. November, 1923). A shrub 5 to 6 ft. high growing on the alpine slopes of Mount Peima at an altitude of 14,000 to 15,000 ft. The oval acute leaves are covered beneath with a brown, flaky tomentose."

59,607. Rhod. Sp.

"(No. 11,339. Mount Peima. November, 1923). A shrub 4 ft. high growing on the alpine slopes at an altitude of 14,000 to 15,000 ft. The elliptical oblong leaves, with infolded margins, are pale yellow tomentose beneath."

59,608. Rhod. Sp.

"(No. 11,340). A shrub growing on Mount Peima at an altitude of 14,000 to 15,000 ft."

For description see S.P.I. No. 59,607.

59,609. Rhod. Sp.

"(No. 11,343. Mount Moting. November, 1923). A shrub 5 to 8 ft. high growing at an altitude of 14,000 to 15,000 ft. The leaves are oblong acute, with deciduous tomentum beneath."

59,610. Rhod. Sp.

"(No. 11,345. November, 1923).
A shrub 6 ft. high growing on the alpine slopes of Mount Moting at an altitude of 14,000 to 15,000 ft. The broadly obovate-oblong, blunt leaves are covered beneath with a deciduous flaky tomentose. The flowers are pink." Fl. No. 9,334.

59,611. Rhod. Sp.

"(No. 11,346. Litiping, Mekong-Yangtze Divide. November, 1923).
A shrub 12 ft. high growing at an altitude of 12,000 ft. The long linear oblong acute leaves are pale green and glabrous beneath. The flowers are pink." Fl. No. 9,175.

59,612. Rhod. Sp.

"(No. 11,349. November, 1923).
A shrub 5 to 6 ft. high growing on the summit of Shundsangtu, Mekong-Salwin Divide, at an altitude of 13,000 ft. The obovate oblong acute leaves are dull green above and brownish beneath."

59,613. Rhod. Sp.

“(No. 11,352. November, 1923).
A shrub or tree up to 20 ft. high,
growing in masses on the slopes of
Mount Peima, Mekong-Yangtze
Divide, at an altitude of 15,000 ft.
The large oval acute leaves are
covered beneath with a silky, bronze-
coloured tomentose.”

59,614. Rhod. Sp.

“(No. 11,357. December, 1923).
A tree 15 to 20 ft. high found in
mixed forests on the slopes of Pongela
Yangtze Divide, at an altitude of
11,000 ft. The leaves are oblong
acute, both sides being glossy green
and glabrous. The flowers and
fruits are red.”

59,615. Rhod. Sp.

“(No. 11,363. Haraku, Likiang
Snow Range. November, 1923).
A shrub 3 ft. high found in swampy
meadows at an altitude of 11,000 ft.
The small elliptical elongate leaves
are pale yellow beneath and the
flowers are a rich blue.” Fl. No.
8,527.

59,616. Rhod. Sp.

"(No. 11,365. Haraku, Likiang Snow Range. November, 1923). A shrub 2 to 3 ft. high found at an altitude of 11,000 ft. The small narrow elliptical leaves are pale beneath and the flowers are a dark purplish blue." Fl. No. 8,495.

\ 59,617. Rhod. Sp.

"(No. 11,367. Likiang Snow Range. November, 1923). A stiff-branched shrub 5 to 6 ft. high found at an altitude of 11,000 ft. The leaves are oblong and leathery and are matted with a pale wool beneath. The flowers are large and white dotted with red." Fl. No. 8,510.

\ 59,618. Rhod. Sp.

"(No. 11,371. November, 1923). A shrub 5 to 8 ft. high found on the slopes of the Likiang Snow Range at an altitude of 13,000 ft. The large oblong leaves are dark green above and pale yellow tomentose beneath. The flowers are white with a pinkish tinge." Fl. No. 8,499.

59,619. Rhod. Sp.

"(No. 11,373. November, 1923). A shrub 6 to 8 ft. high growing on the alpine slopes of the Likiang Snow Range at an altitude of 14,000 ft. The oval-oblong leaves are white to cream coloured tomentose beneath. The flowers are large and white." Fl. No. 8,496.

59,620. Rhod. Sp.

"(No. 11,381. Sungkwe. November, 1923). A shrub 12 to 15 ft. high found at an altitude of 10,000 ft. The large elliptical oblong glabrous leaves, uniformly green, are strongly veined beneath. The flowers are a pinkish white." Fl. No. 8,283.

59,621. Rhod. Sp.

"(No. 11,383. November, 1923). A tree 20 ft. high found on the Sungkwe Pass, south of Likiang, at an altitude of 11,000 ft. The broadly oval to obovate leaves are covered beneath with a faintly brown tomentose. The flowers are large and rich pink." Fl. No. 8,259.

59,622. Rhod. Sp.

"(No. 11,389. November, 1923). A shrub 6 ft. high found in the alpine meadows of Litiping, Mekong-Yangtze Divide, at an altitude of 12,000 ft. The leaves are ovate and pale yellow and glaucous beneath. The flowers are a rich yellow." Fl. No. 8,965.

59,623. Rhod. Sp.

"(No. 11,391. Heswe Road. October, 1923). A small tree 12 to 15 ft. high found along stream beds in mixed forests (*Tsuga* predominant) on the western slopes of the Likiang Snow Range at an altitude of 10,000 to 11,000 ft. The large oblong-obovate leaves, with prominent veins, are silvery grey underneath. The flowers are pink." Fl. No. 8,360.

59,624. Rhod. Sp.

"(No. 11,397. November, 1923). A tree 25 ft. high growing in Gan-haitze, on the western slopes of the Likiang Snow Range, at an altitude of 12,000 ft. The large oblong leaves are dark green and glossy above and densely rufous brown beneath. The flowers are white."

59,625. Rhod. Sp.

"(No. 11,408. Saba, Likiang Snow Range. November, 1923). One of the finest species, 15 to 20 ft. high, found in larch forests at an altitude of 11,000 ft. The oval acute, subcordate leaves are glabrous on both sides and pale beneath. The large pink flowers produced in large corymbs, are faintly fragrant." Fl. No. 8,223.

59,626. Rhod. Sp.

"(No. 11,418. November, 1923). A shrub 3 ft. high growing in pine forests of the Likiang Snow Range at an altitude of 10,000 ft. The elliptical oval, green leaves are glabrous on both sides and the large, purple lavender flowers are produced on slender pedicels."

59,627. Rhod. Sp.

"(No. 11,429. November, 1923). A handsome species, 6 ft. high, growing on the alpine slopes among rocks on the Likiang Snow Range at an altitude of 14,000 ft. The oval, glabrous leaves are dotted beneath and the petioles and stems are carmine purple. The flowers are large and red."

59,628. Rhod. Sp.

"(No. 11,452. November, 1923). A tree 8 to 10 ft. high found in the Sungkwe Mountains, south of Likiang, at an altitude of 11,000 ft. The oblong ovate leaves are densely covered beneath with cinnamon brown tomentose. The flowers are large and white."

59,629. Rhod. Sp.

"(No. 11,453. November, 1923). An aromatic plant 8 ft. high found on the Sungkwe Mountains, south of Likiang, at an altitude of 11,000 ft. The oblong acute leaves are green on both sides but dotted with brown beneath. The flowers are pale pink."

59,630. Rhod. Sp.

"(No. 11,454. Sungkwe Mountains. November, 1923). A shrub 8 ft. high found at an altitude of 11,000 ft. The leaves are coriaceous and pale yellow beneath. The flowers are large and white."

59,631. *Rhod. Sp.*

"(No. 11,455. Sungkwe Mountains, south of Likiang. November, 1923.) An aromatic plant 1 to 3 ft. high found among rocks at an altitude of 11,000 ft. The small elliptical leaves are covered with a pale-brown pubescence beneath and the flowers are white."

59,632. *Rhod. Sp.*

"(No. 11,460. November, 1923). A shrub 10 ft. high growing on the alpine slopes of the Likiang Snow Range at an altitude of 13,000 ft. The very large oblong leaves are glossy green above and cinnamon brown beneath. The flowers are large and pink and produced in large corymbs."

59,633. *Rhod. Sp.*

"(No. 11,461. November, 1923). A shrub 5 ft. high found on the alpine slopes of the Likiang Snow Range at an altitude of 14,000 ft. The oval acute, white to cream coloured leaves are faintly pubescent. The flowers are large and white."

\ 59,634. Rhod. Sp.

"(No. 11,468. November, 1923).
A shrub 2 ft. high growing on the alpine rocky slopes of the Likiang Snow Range at an altitude of 14,000 ft. The oval leaves are brown beneath; the flowers are white, tubular and fragrant."

\ 59,635. Rhod. Sp.

"(No. 11,470. November, 1923).
A tree 15 ft. high found in fir forests on the alpine slopes of the Likiang Snow Range at an altitude of 14,500 ft. The oblong acute leaves are pale tomentose beneath; the flowers are white."

\ 59,636. Rhod. Sp.

"(No. 11,471. November, 1923).
A shrub 3 to 4 ft. high found in fir forests on the alpine slopes of the Likiang Snow Range at an altitude of 14,500 ft. The leaves are oblong acute and are covered beneath with pale brown tomentose. The flowers are large and pink."

59,637. Rhod. Sp.

"(No. 11,473. November, 1923).

A shrub 4 ft. high found on the alpine slopes of the Likiang Snow Range at an altitude of 14,000 ft. The oblong ovoid leaves are silky pale brown beneath. The flowers are white."

59,638. Rhod. Sp.

"(No. 11,476. November, 1923).

A shrub 1½ ft. high growing with pine on the dry rocky limestone range opposite the Likiang Snow Range. The leaves are oval and dotted with grey beneath. The flowers are small and red."















